


रुपन्देही जिल्लाको ज्यालादर तथा निर्माण सामाग्रीहरुको

जिल्ला दररेट



आ.व. २०७९ / ८०



जिल्ला दररेट निर्धारण समिति
रुपन्देही

२०७९ आषाढ २९

[Handwritten signature]

रुपन्देही

जिल्लाको लागि

आ.व. ०७९/०८०

को कामदारको ज्याला, निर्माण सामग्री,
ढुवानी तथा मेशिन/उपकरणको भाडाको

जिल्ला दररेट

[Handwritten signature]

विवरण

- क) कामदारको ज्याला
- ख) सामान ढुवानी
- ग) स्थानीय निर्माण सामग्री
- घ) सडक तथा पुल, सिंचाई तथा नदी नियन्त्रण सम्बन्धि निर्माण सामाग्रीहरु
- ङ) फलामजन्य सामग्रीहरु
- च) भ्याल ढोकामा प्रयोग हुने हार्डवेयरका सामग्रीहरु
- छ) रेडिमेड भ्याल, ढोका र पार्टिसन, सिलिङ्ग तथा छानाहरु
- ज) शिशा, प्लाइउड तथा ढोकाको रेडिमेड सटरहरु
- झ) किचन तथा बाथरुमका सामाग्रीहरु
- ञ) रङ्ग रोगन सम्बन्धी सामाग्रीहरु
- ट) बिद्युत सम्बन्धी सामग्रीहरु
- ठ) खानेपानी तथा सरसफाई सम्बन्धी सामाग्रीहरु
- ड) वन तथा भू-संरक्षण संबन्धी
- ढ) हेभि इक्विपमेन्ट (ईन्धन बाहेक)
- ण) विविध

पण) विविध

Handwritten signatures and marks:

- Top left: *पण) विविध*
- Top center: A large circle with the number *3* inside, and a long horizontal line extending to the right.
- Top right: A signature that appears to be *1/10/08*.
- Middle left: A signature that appears to be *पण) विविध*.
- Middle center: A signature that appears to be *पण) विविध*.
- Middle right: A signature that appears to be *पण) विविध*.
- Bottom left: A signature that appears to be *पण) विविध*.
- Bottom center: A signature that appears to be *पण) विविध*.
- Bottom right: A signature that appears to be *पण) विविध*.

क) कामदारको ज्याला

क्र.स.	कामदारको किसिम	ज्याला दर प्रति दिन रु.			
		एकाई	आ.व. ०७७/०७८ दररेट	आ.व. ०७८/०७९ दररेट	आ.व. ०७९/०८० को दररेट
१	डकर्मी, सिकर्मी, नकर्मी, प्लम्बर, चित्रकार, पेन्टर, ड्रिलर मिस्त्री, मेकानिकश, ईलेक्ट्रीशियन, ग्यावियन जाली बुन्ने मिस्त्री	प्रति व्यक्ति प्रति दिन	८२०	८५५	८९८
२	ज्यामी नाईके	,,	५६५	५९०	६२०
३	ज्यामी साधारण	,,	५५५	५८०	६०९
४	सुपरभाईजर श्रेणी विहिन	,,	५५५	५८०	६०९
५	सुपरभाईजर (एस.एल.सि. वा सो सरह)	,,	६९५	६४०	६७२
६	ड्रिलर । मेकानिकल हेल्पर	,,	५५५	५८०	६०९
७	सर्वे हेल्पर/चेनमेन	,,	५५५	५८०	६०९
८	ईलेक्ट्रीसियन हेल्पर/लाईन म्यान	,,	५५५	५८०	६०९
९	प्लम्बर हेल्पर	,,	५५५	५८०	६०९
१०	चौकिदार, नर्सरी नाईके, बन हेरालु	,,	५५५	५८०	६०९
११	सिनियर ल्याब टेक्निसियन	,,	६९५	६४०	६७२
१२	जूनियर ल्याब टेक्निसियन	,,	५५५	५८०	६०९
१३	स्वीपर (पूरा कार्यालय समय)	,,	४३५	४५५	५००
१४	हेभि सवारी चालक	,,	७४०	७७०	८०९
१५	सवारी हेल्पर	,,	५९०	५३०	५५७
१६	कम्प्युटर अपरेटर	,,	६४०	६७०	७०४
१७	असिष्टेण्ट सब-ईन्जिनियर	,,	७४०	७७०	८०९
१८	सब-ईन्जिनियर	,,	८७०	९०५	९५०
१९	ईन्जिनियर	,,	१२२५	१२७५	१३३९
२०	अनुबन्धित ज्यामी	,,	३८५	४०५	५००

नोट :-

नोट :-उपरोक्त पदका कामदारहरु बाहेक अन्य पदहरुमा ज्यालादारीमा काम गराउने भएमा जुन पदमा काम गराउने हो सो को नेपाल सरकारको शुरु तलब मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।

(Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp and several handwritten notes in Nepali.)

ख) सामान ढुवानी

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
	१) बिधूत सम्बन्धी ढुवानी				
	ट्रान्सफर्मर २५ के.भी.ए. देखी २०० के.भी.ए. सम्म				
१.१०	न.पा. भित्र	प्रति थान	१००५	१००५	१०५५
१.२०	न.पा. बाहिर	प्रति थान	२००५	२००५	२१०५
	२) ह्युमपाईप सम्बन्धी ढुवानी				
२.१०	५ कि.मि. सम्म	पाईपको मूल्यमा थप प्रतिशत	५	५	५.२५
२.२०	५ देखि १० कि.मि. सम्म	पाईपको मूल्यमा थप प्रतिशत	७	७	७.३५
२.३०	१० कि.मि. भन्दा माथि	पाईपको मूल्यमा थप प्रतिशत	१०	१०	१०.५०
	३) फेन्सीङ्ग पोल सम्बन्धि ढुवानी				
३.१	१० कि.मि. सम्म	पोलको मूल्यमा थप प्रतिशत	५	५	५.२५
३.२	१० कि.मि. भन्दा माथि	पोलको मूल्यमा थप प्रतिशत	७	७	७.३५
	४) विद्युत पोल सम्बन्धि ढुवानी				
४.१०	५ कि.मि. सम्म	पोलको मूल्यमा थप प्रतिशत	५	५	५.२५
४.२०	५ देखि १० कि.मि. सम्म	पोलको मूल्यमा थप प्रतिशत	७	७	७.३५
४.३०	१० कि.मि. भन्दा माथि	पोलको मूल्यमा थप प्रतिशत	१०	१०	१०.५०
	५) नेपाल खाद्य संस्थान सम्बन्धी				
५.१०	गोदामबाट मालसामान र खाद्यान्न गाडिमा लोड गर्ने कार्यको ज्याला	प्रति ५० के.जी. कस्ती बोरा	४.५	४.५	४.७३
५.२०	" "	२५ के.जी कस्ती	२.५	२.५	२.६३
५.३०	गोदामबाट मालसामान र खाद्यान्न गाडिमा अनलोड गर्ने कार्यको ज्याला	प्रति ५० के.जी. कस्ती बोरा	४.५	४.५	४.७३
५.४०	" "	२५ के.जी कस्ती	२.५	२.५	२.६३
५.५०	मालसामान र खाद्यान्न स्टोरमा चौकाई पल्टाई गर्ने कार्यको ज्याला	प्रति २५ के.जी. कस्ती बोरा	३.०	३.०	३.१५
५.६०	" "	प्रति ५० के.जी. कस्ती बोरा	३.०	३.०	३.१५
५.७०	मालसामान र खाद्यान्न तौलाई गर्ने कार्यको ज्याला	प्रति २५ के.जी. कस्ती बोरा	२.०	२.०	२.१०
५.८०	" "	प्रति ५० के.जी. कस्ती बोरा	३.०	३.०	३.१५
५.९०	खाद्यान्न संचित गरेको गोदाम सफाई १००० मे. टन	प्रति गोदाम	१२०.०	१२०.०	१२६.००
५.१०	खाद्यान्नको कस्ती बोरा सिलाई	प्रति गोटा	०.७	०.७	०.७४
५.११	नगरपालीका भित्र लोकल ढुवानी	प्रति १०० के.जी.	२३.०	२३.०	२४.१५
५.१२	खाद्यान्नमा आषधी स्प्रे गर्ने	एक टंकी (१५ ली.)	१२५.०	१२५.०	१३१.२५
५.१३	औषधी फिमिकेशन गरेको	प्रति लट	२५०.०	२५०.०	२६२.५०
	बूटवल गोदामका लागि				
५.१४	लोडिग	प्रति २५ के.जी. कस्ती बोरा	४.०	४.०	४.२०


Signature

ग) स्थानीय निर्माण सामग्री


सि.नं.	निर्माण सामग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	ईटा (ढुवानी समेत)				
१.०१	प्रथम श्रेणी	प्रति हजार	१३३००	१३३००	१४०००
१.०२	रविस	प्रति ट्रक	२४५१	२४५१	२४५१
१.०३	मेसिन मेड ६५×१२०×२४०MM कोरेको	प्रति हजार	१२८००	१२८००	१२८००
१.०४	मेसिन मेड ६५×१२०×२४०MM Four side finishing	प्रति हजार	१३३००	१३३००	१३३००
१.०५	मेसिन मेड ५५×१२०×२४०MM कोरेको	प्रति हजार	१२४००	१२४००	१२४००
१.०६	मेसिन मेड ५५×१२०×२४०MM Four side finishing	प्रति हजार	१३७००	१३७००	१३७००
२	कंक्रीट ईटा र ईन्टरलक				
२.०१	कंक्रीट ईटा (२२०mmX११०mmX६५mm)	प्रति गोटा	१३.५	१५	१६
२.०२	६० मी.मी. मोटाईको ईन्टरलक (६"x८.७५" साईजको) सादा	प्रति गोटा	२८.०	३०	३२
२.०३	६० मी.मी. मोटाईको ईन्टरलक (६"x८.७५"साईजको) रङ्गिन	प्रति गोटा	३१.०	३३	३५
२.०४	८० मी.मी. मोटाईको ईन्टरलक (६"x८.७५" साईजको) सादा	प्रति गोटा	३३.०	३६	३८
२.०५	८० मी.मी. मोटाईको ईन्टरलक (६"x८.७५"साईजको) रङ्गिन	प्रति गोटा	३६.०	३९	४१
२.०६	60 mm thick Concrete Interlock pavers with minimum compressive strength of M35 (विभिन्न साईजको) सादा	प्रति व.मी.	११२८.०	१२१८	१२७९
२.०७	60 mm thick Concrete Interlock pavers with minimum compressive strength of M35 (विभिन्न साईजको) रङ्गिन	प्रति व.मी.	११८७.०	१२८२	१३४६
२.०८	80 mm thick Concrete Interlock pavers with minimum compressive strength of M35 (विभिन्न साईजको) सादा	प्रति व.मी.	१३६६.०	१४७५	१५४९
२.०९	80 mm thick Concrete Interlock pavers with minimum compressive strength of M35 (विभिन्न साईजको) रङ्गिन	प्रति व.मी.	१५४४.०	१६६८	१७५१
२.१०	१०० मी.मी. मोटाईको CSEB ईन्टरलक ईटा (६"x१२"साईजको) सादा	प्रति गोटा	४५.०	४९	५१
२.१०	Concrete Kerbstone with minimum compressive strength of M35 (३८०x२५०x२०० साईजको)	प्रति र.मी.	१२४०.०	१३३९	१४०६
२.११	प्रथम श्रेणी ईटाको ट्रक (१७५ घ.फि.को ट्रक)	प्रति ट्रक	८७३५	९४३४	९९०६
३	ढुंगा				
३.०१	धूलो	प्रति घ.फि.			
३.०२	बोल्डर	प्रति घ.फि.			
४	माटो /भस्कट	प्रति घ.फि.	७	७	७
४	गिट्टी				
४.०१	चालेको पखालेको (फेक्ट्रीमा) २० एम.एम.	प्रति घ.फि.	५६	६०	६०
४.०२	चालेको पखालेको (फेक्ट्रीमा) ४० एम.एम.	प्रति घ.फि.	५५	५९	५९
४.०३	तोडेको (फेक्ट्रीमा) २० एम.एम.	प्रति घ.फि.	५५	५९	५९
४.०४	तोडेको (फेक्ट्रीमा) ४० एम.एम.	प्रति घ.फि.	५५	५९	५९
५	जिरा (चिप्स मसिनो)				
५.०१	चालेको पखालेको (फेक्ट्रीमा) १० एम.एम.	प्रति घ.फि.	४५	४९	४९
५.०२	तोडेको (फेक्ट्रीमा) १० एम.एम.	प्रति घ.फि.	४५	४९	४९
६	बालुवा				

Handwritten signature and date: 15/11/2020

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७/०७८ को दररेट	आ.व. ०७८/०७९ को दररेट	आ.व. ०७९/०८० को दररेट
६.०१	खस्रो बालुवा	प्रति घ.फि.	-		
६.०२	बालुवा लोकल	प्रति घ.फि.	-		
६.०३	बालुवा पखालेको (फेक्ट्रीमा)	प्रति घ.फि.	५५	५९	५९
७	काठ		०		
७.०१	साल काठ	प्रति घ.फि.	४९००	५२९२	५२९२
७.०२	सिसौ काठ	प्रति घ.फि.	२८००	३०२४	३०२४
७.०३	कूकाठ	प्रति घ.फि.	१२००	१२९६	१२९६
७.०४	दाउरा	प्रति के.जी.	१३	१४	१४
८	बांस (६ मिटर घना)				
८.०१	गा.पा. क्षेत्रमा	प्रति घना	२५०	२७०	२७०
८.०२	न.पा. क्षेत्रमा	प्रति घना	३२०	३४६	३४६
९	होलो सिमेन्ट ब्लक				
९.०१	16 "x 6 "x 8 "	प्रति थान	३५	३५	३५
९.०२	16 "x 8 "x 8 "	प्रति थान	४५	४५	४५
	EPS -C Blocks 24"x8"x4"	प्रति थान			१५७
	EPS -C Blocks 24"x8"x6"	प्रति थान			२३५
	EPS -C Blocks 24"x8"x8"	प्रति थान			३१४
१०	चर्पीको लागि कंक्रीट रिङ छड समेत				
१०.०१	ट्वाइलेटको रिङ (७५ से.मी. डायमिटर, ३० से.मी. उचाई)	प्रति गोटा	६७५	६७५	६७५
१०.०२	ट्वाइलेटको रिङ (९५ से.मी. डायमिटर, ३० से.मी. उचाई)	प्रति गोटा	९००	९००	९००
१०.०३	ट्वाइलेटको रिङ (११० से.मी. डायमिटर, ३० से.मी. उचाई)	प्रति गोटा	११२५	११२५	११२५
११	Ready mix Concrete (including lead upto 5 km)				
११.०१	M-60 grade	घ.मि.	२१६८५	२१६८५	२१६८५
११.०२	M-55 grade	घ.मि.	२१२४०	२१२४०	२१२४०
११.०३	M-50 grade	घ.मि.	२०३५५	२०३५५	२०३५५
११.०४	M-45 grade	घ.मि.	१९४७०	१९४७०	१९४७०
११.०५	M-40 grade	घ.मि.	१८५८५	१८५८५	१८५८५
११.०६	M-35 grade	घ.मि.	१७७००	१७७००	१७७००
११.०७	M-30 grade	घ.मि.	१७२६०	१७२६०	१७२६०
११.०८	M-25 grade	घ.मि.	१४४९०	१४४९०	१४४९०
११.०९	M-20 grade	घ.मि.	१३७२०	१३७२०	१३७२०
११.१०	M-15 grade	घ.मि.	१२३९०	१२३९०	१२३९०
११.११	M-10 grade	घ.मि.	११०६५	११०६५	११०६५
१२	आर.सि.सि. फेन्सीड पोल १० x १० से.मी. टप र १२ x १२ से.मी. बटम साइजको ८ मि.मि. फलामे छड समेत तयारी				
१२.०१	६ फिट लामो	प्रति थान	१११५	१२०४	१२०४
१२.०२	७ फिट लामो	प्रति थान	१२७५	१३७७	१३७७





घ) सडक तथा पुल, सिंचाई तथा नदी नियन्त्रण सम्बन्धि निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	सिमेन्ट (५० के.जी.) NS/ISI				
१.०१	पि.पि.सी. नेपाली	प्रति बोरा	६७०	६७०	६७०
१.०२	ओ.पि.सि. नेपाली	प्रति बोरा	७६०	७६०	७६०
१.०३	सेतो सिमेन्ट (४० के.जी. बोरा)	प्रति बोरा	९३१	९३१	९३१
१.०४	सिलिका सिमेन्ट एडमिक्शचर	प्रति के.जि.	३३०	३३०	३३०
१.०५	सिमेन्ट लोड वा अनलोड ज्याला (५० के.जी. बोरा)	प्रति बोरा	४	४	४
२	ह्युम पाईप एन.पि. ३ क्लास				
२.०१	१५ से.मी. डायमिटर	प्रति र.मी.	२२१०	२२१०	२३२१
२.०२	२० से.मी. डायमिटर	प्रति र.मी.	२७२५	२७२५	२८६१
२.०३	२५ से.मी. डायमिटर	प्रति र.मी.	३३१०	३३१०	३४७६
२.०४	३० से.मी. डायमिटर	प्रति र.मी.	३७६५	३७६५	३९५३
२.०५	३५ से.मी. डायमिटर	प्रति र.मी.	४२२०	४२२०	४४३१
२.०६	४० से.मी. डायमिटर	प्रति र.मी.	४८०५	४८०५	५०४५
२.०७	४५ से.मी. डायमिटर	प्रति र.मी.	५५२०	५५२०	५७९६
२.०८	५० से.मी. डायमिटर	प्रति र.मी.	६१६५	६१६५	६४७३
२.०९	६० से.मी. डायमिटर	प्रति र.मी.	७४००	७४००	७७७०
२.१०	७० से.मी. डायमिटर	प्रति र.मी.	९३४५	९३४५	९८१२
२.११	७५ से.मी. डायमिटर	प्रति र.मी.	१०६४५	१०६४५	१११७७
२.१२	८० से.मी. डायमिटर	प्रति र.मी.	११९४०	११९४०	१२५३७
२.१३	९० से.मी. डायमिटर	प्रति र.मी.	१३६५५	१३६५५	१४३३८
२.१४	१०० से.मी. डायमिटर	प्रति र.मी.	१५०५५	१५०५५	१५८०८
२.१५	१२० से.मी. डायमिटर	प्रति र.मी.	१७६५०	१७६५०	१८५३३
२.१६	१५० से.मी. डायमिटर	प्रति र.मी.	२५९५५	२५९५५	२७२५३
३	ह्युम पाईप एन.पि. २ क्लास				
३.०१	१५ से.मी. डायमिटर	प्रति र.मी.	८१५	८१५	८५६
३.०२	२० से.मी. डायमिटर	प्रति र.मी.	९७५	९७५	१०२४
३.०३	२५ से.मी. डायमिटर	प्रति र.मी.	११०५	११०५	११६०
३.०४	३० से.मी. डायमिटर	प्रति र.मी.	१३००	१३००	१३६५
३.०५	४० से.मी. डायमिटर	प्रति र.मी.	२१४५	२१४५	२२५२
३.०६	४५ से.मी. डायमिटर	प्रति र.मी.	२५३०	२५३०	२६५७
३.०७	५० से.मी. डायमिटर	प्रति र.मी.	२६६५	२६६५	२७९८
३.०८	६० से.मी. डायमिटर	प्रति र.मी.	४२८५	४२८५	४४९९
३.०९	७० से.मी. डायमिटर	प्रति र.मी.	४५४५	४५४५	४७७२
३.१०	७५ से.मी. डायमिटर	प्रति र.मी.	५०६५	५०६५	५३१८
३.११	८० से.मी. डायमिटर	प्रति र.मी.	५५८५	५५८५	५८६४
३.१२	९० से.मी. डायमिटर	प्रति र.मी.	५५७०	५५७०	५८४९
३.१३	१०० से.मी. डायमिटर	प्रति र.मी.	७९२०	७९२०	८३१६
३.१४	१२० से.मी. डायमिटर	प्रति र.मी.	८९५५	८९५५	९४०३

Handwritten signatures and notes at the bottom of the page, including a large signature on the left and a date '1/12/100' on the right.

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
३.१५	१५० से.मी. डायमिटर	प्रति र.मी.	१४७९५	१४७९५	१५५३५
३.१६	ह्युम पाईप कलर (सकेट)	प्रति गोटा			
४	मेशिनमेड तार जाली(Mesh type 10cm*12cm,mesh wire 3 mm dia,selvedge wire 3.9 mm dia,Lacing wire 2.4 mm dia,Heavy Zinc Coating) with Transportation.	प्रति ब.मि.।			
४.०१	Box Size (2m*1m*0.5m)	प्रति जाली	१९८५	२१४४	२३५८
४.०२	Box Size (3m*1m*0.5m)	प्रति जाली	२८३५	३०६२	३३६८
४.०३	Box Size (2m*1m*1m)	प्रति जाली	२८२०	३०४६	३३५१
४.०४	Box Size (3m*1m*1m)	प्रति जाली	४०००	४३२०	४७५२
४.०५	Box Size (3m*1.5m*0.5m)	प्रति जाली	४१६०	४४९३	४९४२
४.०६	Box Size (3m*1.5m*1m)	प्रति जाली	५८६०	६३२९	६९६२
५	सडक सम्बन्धि विविध				
५.०१	Geotextile Polypropylene Nonwoven (TS-30 equiv)	प्रति व.मी.	९०	९७	१०७
५.०२	अलकत्रा ८०/१०० ग्रेड (ढुवानि वाहेक) VG 10	प्रति के.जी.	७२	७८	८६
५.०३	अलकत्रा ६०/७० ग्रेड (ढुवानि वाहेक) VG 20	प्रति के.जी.	७४	८०	८८
५.०४	अलकत्रा VG 30	प्रति के.जी.	७४	८०	८८
५.०५	ईमल्सन Medium Setting with 65% Bitumen (M/S65)	प्रति के.जी.	७२	७८	८६
५.०६	एन्टि स्ट्रिपिड एडिक्टिभ्स	प्रति के.जी.	३८०	४१०	४५१
५.०७	Retroreflective Delineator (900 mm height,50 mm dia)	प्रति गोटा	७७०	७७०	७७०
५.०८	Thermoplastic Paint	प्रति के.जी.	२५०	२५०	२५०
५.०९	Glass Bit	प्रति के.जी.	२४५	२४५	२४५
५.१	Reflective Sheet(150 ft*2")	प्रति रोल	५४२०	५४२०	५४२०
५.११	Cats Eye	प्रति गोटा	६००	६००	६००
६	Press Stress Bridge Items				
६.०१	Ht strands 12.7mm-7ply	प्रति के.जि.	१५२	१५२	१५२
६.०२	19JK13 ,Anchor set 1-Tube unit	सेट	२८००	२८००	२८००
६.०३	Bearing Plate	सेट	२८००	२८००	२८००
६.०४	Live wedges	गोटा	१००	१००	१००
६.०५	Grouting Cap	सेट	७०००	७०००	७०००
६.०६	Corrugated HDPE sheathings pipe ID=90mm	मिटर	३०५	३०५	३०५
६.०७	Strip seal expansion joints	मिटर	१७५००	१७५००	१७५००
६.०८	Fixed pot bearings 296 tons capacity	गोटा	१३००००	१३००००	१३००००
६.०९	long guide pot bearings 296 tons capacity	गोटा	१४००००	१४००००	१४००००
६.१०	Supply of prestressing machine along with grouting and agiating in hire for 1 span bridge	१ pkg	३५००००	३५००००	३५००००
६.११	Elastomeric Bearing	गोटा	५००००	५००००	५००००
७	सिंचाई सम्बन्धी विविध				
७.०१	रबरसिल 9" / 10"	मिटर	११५५	१२४७	१२४७
७.०२	रबरसिल 5" / 6"	मिटर	७५५	८१५	८१५

(6)

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८०७९ को दररेट	आ.व. ०७९०८० को दररेट
७.०३	हाईड्रोलिक स्टील गेट	के.जि.	२५०	२७०	२७०
७.०४	गेट गैयर कमप्लिट सेट ५~१० टन क्षमता भएको	सेट	१०९७५	११८५३	११८५३
७.०५	गेट गैयर कमप्लिट सेट १०~१५ टन क्षमता भएको	सेट	२१९४५	२३७०१	२३७०१
७.०६	गेट गैयर कमप्लिट सेट १५~२० टन क्षमता भएको	सेट	३३४९५	३६१७५	३६१७५
७.०७	गेट गैयर कमप्लिट सेट २०~२५ टन क्षमता भएको	सेट	४३८९०	४७४०१	४७४०१
७.०८	बिटुमिन पेण्ट	लिटर	१७०	१८४	१८४
७.०९	सिट पार्सल	के.जि.	१७५	१८९	१८९
८	डिजेल पम्पसेट (किलोसकर वा सो सरह)				
८.०१	पम्पसेट (१५०० आर.पि.एम.) (ट्रली, बेण्ड, निप्पल, कूलिङ्ग पाईप समेत कमप्लिट सेट) भ्याट नलाग्ने				
८.०२	५ हर्ष पावर ३"x३" पम्प	प्रति सेट	५२०००	५२०००	५२०००
८.०३	५ हर्ष पावर ३"x२.५" पम्प	प्रति सेट	५२०००	५२०००	५२०००
८.०४	५ हर्ष पावर ४"x४" पम्प	प्रति सेट	५६०००	५६०००	५६०००
९	ईलेक्ट्रीक पम्पसेट (किलोशकर वा सो सरह)				
९.०१	१.५ हर्ष पावर २"x२" (१ फेज) पम्प	प्रति सेट	१७६००	१७६००	१७६००
९.०२	२.० हर्ष पावर ३"x३" (१ फेज) पम्प	प्रति सेट	२३१००	२३१००	२३१००
९.०३	३.० हर्ष पावर ४"x४" / ३"x३" (१ फेज) पम्प	प्रति सेट	३८३९०	३८३९०	३८३९०
९.०४	५.० हर्ष पावर ४"x४" (१ फेज) पम्प	प्रति सेट	४६०००	४६०००	४६०००
९.०५	३.० हर्ष पावर ३"x३" (३ फेज) पम्प	प्रति सेट	३३०००	३३०००	३३०००
९.०६	५.० हर्ष पावर ४"x४" (३ फेज) पम्प	प्रति सेट	४६७५०	४६७५०	४६७५०
१०	ढिकी पम्प	प्रति थान	१२५०	१२५०	१२५०
११	जल उत्पन्न प्रकोप नियन्त्रण				
११.०१	नाईलन डोरी	प्रति के.जी.	२२०	२३८	२३८
११.०२	बास गाड्ने कार्य (पार्सल)	प्रति गोटा	५	५	५
११.०३	बूनेको तार जाली ढुवानी (पिच सडक)	प्रति जाली/कि.मी	२	२	२
११.०४	बूनेको तार जाली ढुवानी (ग्राभेल, कचिच सडकमा)	प्रति जाली/कि.मी	३	३	३
११.०५	तार जाली लोड अनलोडिङ्ग	प्रति जाली	९	१०	१०

Handwritten notes and diagrams:

- Top left: A small sketch of a person's head and shoulders, with the word "Person" written below it.
- Top center: A circle containing the number "3", with the word "Person" written below it.
- Top right: A circle containing the number "3", with the word "Person" written below it.
- Middle left: A circle containing the number "3", with the word "Person" written below it.
- Middle center: A circle containing the number "3", with the word "Person" written below it.
- Middle right: A circle containing the number "3", with the word "Person" written below it.
- Bottom left: A circle containing the number "3", with the word "Person" written below it.
- Bottom center: A circle containing the number "3", with the word "Person" written below it.
- Bottom right: A circle containing the number "3", with the word "Person" written below it.

ड) फलामजन्य सामग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	फलामे छड (एन.एस.)				
१.०१	४.७५ देखी ८.०० मि.मि. सम्म	प्रति के.जी.	७९	८५	९४
१.०२	१०, १२, १६, २० मि.मि. सम्म	प्रति के.जी.	७८	८४	९२
१.०३	२५ मि.मि. देखि ३२ मि.मि.सम्म	प्रति के.जी.	७९	८५	९४
२	एम. एस. कोलाप्सीबल सटर फिटिङ्ग सहीत	प्रति के.जी.	१३०	१४०	१५४
३	एम. एस. रोलीड सटर १८ गेज फिटिङ्ग सहीत	प्रति के.जी.	१३०	१४०	१५४
४	एम.एस. ग्रील फिटिङ्ग सहीत	प्रति के.जी.	१२०	१३०	१४३
५	काडें तार १२ गेज	प्रति के.जी.	९०	९७	१०७
६	एम.एस. बाधने तार	प्रति के.जी.	९०	९७	१०७
७	जि.आई. गोवियन बायर				
७.०१	हेभी कोटेड	प्रति के.जी.	१००	१०८	११९
७.०२	मेडियम कोटेड	प्रति के.जी.	९०	९७	१०७
७.०३	कमर्सियल	प्रति के.जी.	८५	९२	१०१
८	Heavy Coated Gabion wire Chain Link (fencing) with:				
८.१०	mesh size 1" x 1" 12 gauge	प्रति व.मी.	५२०	५६२	६१८
८.२०	mesh size 2" x 2" 10 gauge	प्रति व.मी.	३९०	४२१	४६३
८.३०	mesh size 3" x 3" 10 gauge	प्रति व.मी.	३१५	३४०	३७४
९	एम. एस. एंङ्गल ISI	प्रति के.जी.	८०	८६	९५
१०	एम. एस. ब्याक हलो सेक्सन (एन.एस.)	प्रति के.जी.	८०	८६	९५
११	एम. एस. सिट	प्रति के.जी.	७५	८१	८९
१२	ब्याक पाईपको ट्रेस, पलीन, राफ्टर तथा पोष्ट आदि फलामे सामग्रीहरुको फेब्रिकेशन तथा जडान कार्य ज्याला	प्रति के.जी.	५०	५४	५९
१३	सि.जि.आई.सिट (सादा)				
१३.०१	२४ गेज हेभि (०.५२ एम.एम.)	प्रति बण्डल	९५६०	१०३२५	११३५८
१३.०२	०.५० एम.एम.	प्रति बण्डल	८९८५	९७०४	१०६७४
१३.०३	०.४६ एम.एम.	प्रति बण्डल	८२४३	८९०२	९७९२
१३.०४	०.४१ एम.एम.	प्रति बण्डल	७५००	८१००	८९१०
१३.०५	०.३८ एम.एम.	प्रति बण्डल	६८४०	७३८७	८१२६
१३.०६	०.३५ एम.एम.	प्रति बण्डल	६५५०	७०७४	७७८१
१३.०७	०.३१ एम.एम.	प्रति बण्डल	५९१०	६३८३	७०२१
१३.०८	०.२८ एम.एम.	प्रति बण्डल	५३९०	५८२१	६४०३
१३.०९	०.२६ एम.एम.	प्रति बण्डल	५०७५	५४८१	६०२९
१३.१०	०.२४ एम.एम.	प्रति बण्डल	४८७०	५२६०	५७८६
१३.११	०.२२ एम.एम.	प्रति बण्डल	४५१५	४८७६	५३६४
१४	सि.जि.आई.सिट (रङ्गीन)				
१४.०१	२४ गेज हेभि (०.५२ एम.एम.)	प्रति बण्डल	११४७०	१२३८८	१३६२७
१४.०२	०.५० एम.एम.	प्रति बण्डल	१११००	११९८८	१३१८७
१४.०३	०.४६ एम.एम.	प्रति बण्डल	१०३१३	१११३८	१२२५२
१४.०४	०.४१ एम.एम.	प्रति बण्डल	९५२५	१०२८७	११३१६
१४.०५	०.३९९ एम.एम.	प्रति बण्डल	८८००	९५०४	१०४५४
१४.०६	०.३५ एम.एम.	प्रति बण्डल	८३८०	९०५०	९९५५
१४.०७	०.३१ एम.एम.	प्रति बण्डल	७५९०	८१९७	९०१७

Signature

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
१४.०८	०.२६ एम.एम.	प्रति बण्डल	६६८०	७२१४	७९३५
१४.०९	०.२४ एम.एम.	प्रति बण्डल	६३४५	६८५३	७५३८
१५	प्लेन सिट				
१५.०१	२६ गेज हेभी (०.४० एम.एम) रंगिन	प्रति ब.फि.	४५	४९	५४
१५.०२	२४ गेज मिडियम (०.५ एम.एम) रंगिन	प्रति ब.फि.	५५	५९	६५
१५.०३	२६ गेज हेभी (०.४० एम.एम) सादा	प्रति ब.फि.	४०	४३	४७
१५.०४	२४ गेज मिडियम (०.५ एम.एम) सादा	प्रति ब.फि.	४५	४९	५४
१६	टार फेल्ड (विट्रुमिन सिट)	प्रति ब.फि.	१२	१३	१४
१७	एम.एस. ब्याक पाईप (एन.एस.)(अन्य साइजहरुमा कम्पनी रेटलाई मान्यता दिइने)				
१७.०१	०.५ " डा. मिडियम	प्रति र.मी.			
१७.०२	०.७५ " डा. मिडियम (२ एम.एम.)	प्रति र.मी.	१००	१०८	११९
१७.०३	१ " डा. मिडियम (२.३ एम.एम.)	प्रति र.मी.	१३०	१४०	१५४
१७.०४	१.२५ " डा. मिडियम (२.३ एम.एम.)	प्रति र.मी.	१७०	१८४	२०२
१७.०५	१.५ " डा. मिडियम (२.३ एम.एम.)	प्रति र.मी.	१९०	२०५	२२६
१७.०६	२ " डा. मिडियम (२.३ एम.एम.)	प्रति र.मी.	२६०	२८१	३०९
१७.०७	२.५ " डा. मिडियम (२.८ एम.एम.)	प्रति र.मी.	३८०	४१०	४५१
१७.०८	३ " डा. मिडियम (२.६ एम.एम.)	प्रति र.मी.	४१०	४४३	४८७
१७.०९	४ " डा. मिडियम (२.९ एम.एम.)	प्रति र.मी.	६००	६४८	७१३
१७.१०	४ " डा. हेभी (४.६ एम.एम.)	प्रति र.मी.	९२५	९९९	१०९९
१८	Stainless Steel / Stainless Steel Railing Indian standard				
१८.०१	Stainless Steel pipe 1" Diameter	R.ft	८५	९१	१००
१८.०२	Stainless Steel pipe 1.5" Diameter	R.ft	११५	१२४	१३६
१८.०३	Stainless Steel pipe 2" Diameter	R.ft	१५१	१६३	१७९
१८.०४	Stainless Steel Railing with 2" dia top, 1.5" dia middle and bottom pipe in 4 rows total, 2" dia posts at ~1m c/c finish clear height including the cost of materials and labour and fixing and fitting all complete	R.ft	१५४४	१६६७	१८३४
१८.०५	Stainless Steel Railing with 2" dia top, 1" dia middle and bottom pipe in 4 rows total, 2" dia posts at ~1m c/c finish clear height including the cost of materials and labour and fixing and fitting all complete	R.ft	१२६८	१३६९	१४०६
१८.०६	Stainless Steel Railing with 2" dia top, 1" dia middle and bottom pipe in 3 rows total, 2" dia posts at ~1m c/c finish clear height including the cost of materials and labour and fixing and fitting all complete	R.ft	११३०	१२२०	१३४२
१८.०७	Stainless Steel Railing with 1.5" dia top, 1" dia middle and bottom pipe in 3 rows total, 1.5" dia posts at ~1m c/c finish clear height including the cost of materials and labour and fixing and fitting all complete	R.ft	९९२	१०७२	११७९

च)

भ्याल ढोकामा प्रयोग हुने हार्डवेयरका सामग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
१	कब्जा साधारण (ISI)				
१.०१	४ " लामो	प्रति गोटा	३०	३२	३२
१.०२	६ " लामो	प्रति गोटा	६०	६५	६५
२	छेस्कनी साधारण (ISI)				
२.०१	४ " लामो	प्रति गोटा	४०	४३	४३
२.०२	६ " लामो	प्रति गोटा	६०	६५	६५
३	१२ " लामो	प्रति गोटा	९०	९७	९७
४	मोर्टिस लक मिडियम (ISI)	प्रति गोटा	६५०	७०२	७०२
५	हेन्डल (ISI)				
५.०१	फलामे ६ "	प्रति गोटा	५०	५४	५४
५.०२	आल्मूनियम ६ "	प्रति गोटा	५०	५४	५४
५.०३	आल्मूनियम १२ "	प्रति गोटा	११०	११९	११९
५.०४	ढोकाको रोलन	प्रति गोटा	२००	२१६	२१६
५.०५	डोर स्प्रीङ्ग	प्रति गोटा	१८०	१९४	१९४
५.०६	किला कांटी	प्रति के.जी.	१०५	११३	११३
५.०७	नट बोल्ट बासर सहीत	प्रति के.जी.	१७५	१८९	१८९
६	जि.आई.नेट, मच्छर जाली				
६.०१	भारतिय	प्रति ब.फि.	५०	५४	५४
६.०२	एक्सपेन्डेड (हेभी)	प्रति ब.फि.	३०	३२	३२
६.०३	कूखुरे जाली	प्रति ब.फि.	२०	२२	२२

Handwritten signatures and notes below the table:

- Left side: Several handwritten signatures and initials.
- Center: A large signature with a circle around it, and the text "किरायामा" (Kiramama) written below it.
- Right side: A signature with the date "11/11/03" written above it, and the text "जोडा माथो" (Joda Matho) written below it.
- Bottom center: The text "५ -" (5 -) is written.
- Bottom right: A signature with the text "Suman" written below it.

छ) रेडिमेड भ्याल, ढोका र पार्टिसन, सिलिङ तथा छानाहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
१	Aluminium Windows/Door/Partition				
	102 Series				
१.०१	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	sq.ft	५४०	५४०	५४०
१.०२	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	sq.ft	५७०	५७०	५७०
१.०३	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	sq.ft	६०५	६०५	६०५
१.०४	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	sq.ft	५७०	५७०	५७०
१.०५	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	sq.ft	६३०	६३०	६३०
१.०६	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	sq.ft	७३५	७३५	७३५
१.०७	Aluminium Swing Door with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	sq.ft	६३०	६३०	६३०
१.०८	Aluminium Ventilation Louver with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	sq.ft	६९५	६९५	६९५
	90 Series				
१.०९	Providing and fixing Single Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft	६००	६००	६००
१.१०	Providing and fixing Double Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft	७२०	७२०	७२०
१.११	Providing and fixing 2 or 3 Panel Sliding Window of aluminium section naturally anodized or black anodized/powder coated color, Section size (87x56x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30sq feet per window)	sq.ft	४२०	४२०	४२०



सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१.१२	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/powder coated color, Seciton (87x65x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	sq.ft	४५०	४५०	४५०
१.१३	Providing and fixing Fixed window of aluminium section in naturally anodized of black anodized/powder coated color, section size (87x56x1.2 mm) fit with 8 mm clear glass without fly mesh shutter (average area 5 sq. feet per panel)	sq.ft	३२०	३२०	३२०
१.१४	Providing and fixing Fly Mesh Shutter with aluminium fly mesh in 87x56x1.2 mm series sliding window (section thickness 1 mm)	sq.ft	१८८	१८८	१८८
१.१७	(Fix partition with aluminium composite pannel) Aluminium fix partition section size 87x56x1.2 mm net aluminium frame with 4mm thick aluminium composite pannel with all necessary fittings.	sq.ft	६००	६००	६००
	64 Series				
१.१८	Aluminium Partition with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	sq.ft	३८०	३८०	३८०
१.१९	(Fix partition with aluminium composite pannel) Aluminium fix partition section size 65*38*1.2 net aluminium frame with 4mm thick aluminium composite pannel with all necessary fittings.	sq.ft	५६०	५६०	५६०
२	UPVC Roofing				
२.०१	3 MM Thick Composite Carbon Fibre UPVC Roofing Sheet (Weight 5.5 to 6 Kg/sq.m) with PMMA Coating and glass fibre mesh (Regular Profile)	sq.ft	१३८	१३८	१३८
२.०२	3 MM Thick Composite Carbon Fibre UPVC Roofing Sheet (Weight 5.5 to 6 Kg/sq.m) with PMMA Coating and glass fibre mesh (Tile Profile)	sq.ft	१४३	१४३	१४३
२.०३	3 MM Thick Composite Carbon Fibre UPVC Ridge Cover Sheet (Regular Profile)	R.ft.	३८१	३८१	३८१
२.०४	3 MM Thick Composite Carbon Fibre UPVC Ridge Cover Sheet (Tile Profile)	R.ft.	५०१	५०१	५०१
३	UPVC Door/Windows				
३.०१	UPVC Sliding Windows Frame (80/50mm), Sliding window sash (38/62mm) with net all complete inside 1.5 mm galvanized reinforcement, 5 mm clear glass (white colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	६१६	६१६	६१६
३.०२	UPVC Door Frame (80/50mm), door frame 112/42 mm door sash 80*200mm pannel, inside 1.5 mm galvanized reinforcement, 5 mm clear glass (White colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	६३४	६३४	६३४
३.०३	UPVC casement Window(60*72mm), sash inside 1.5 mm galvanized reinforcement, 5 mm clear glass (White colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	६३४	६३४	६३४
३.०४	UPVC door Frame (60*58mm), Sash 102*60mm (Special), door pannel 18*200 mm, inside 1.5 mm galvanized reinforcement, 5 mm clear glass (White colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	७५५	७५५	७५५
४	Iron Door/Window/Ventilation				


सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८०७९ को दररेट	आ.व. ०७९०८० को दररेट
४.०१	Powder Coated Iron Door/Window/Ventilation Frame of size 100mm*50mm with 1.6 mm thick moulded Iron Sheet including Holdfast,Hing etc	R.ft	२७०	२७०	२७०
४.०२	Powder Coated Iron Window/Ventilation Glazed Shutter of size 70mm*25mm with 1 mm thick moulded Iron Sheet including 4 mm plain glass and accessories and fitting all complete	S.ft	६९०	६९०	६९०
४.०३	Powder Coated Iron Window/Ventilation Glazed Shutter of size 70mm*25mm with 1 mm thick moulded Iron Sheet including 4 mm plain glass and accessories and fitting all complete (Single batten added)	S.ft	६५०	६५०	६५०
४.०४	Powder Coated Almunium Window/Ventilation mesh Shutter of size 38mm*20mm including accessories and Fitting all complete	S.ft	४२५	४२५	४२५
५.००	Readymade fiber Door				
५.०१	Fiber single simple panel	sq.ft	७०८	७०८	७०८
५.०२	Fiber double simply designed panel	sq.ft	७९६	७९६	७९६
५.०३	Fiber double designed panel	sq.ft	११९५	११९५	११९५
५.०४	28mm fiber lamination board	sq.ft	३१०	३१०	३१०
	Puff Panel				
	Roofing panel				
५.०५	30mm thick panel	sq.ft	१९९	१९९	१९९
५.०६	40mm thick panel	sq.ft	२१७	२१७	२१७
५.०७	75mm thick panel	sq.ft	२७०	२७०	२७०
	wall panel				
५.०८	30mm thick panel	sq.ft	१६८	१६८	१६८
५.०९	40mm thick panel	sq.ft	१९०	१९०	१९०
५.१०	50mm thick panel	sq.ft	२०८	२०८	२०८
५.११	65mm thick panel	sq.ft	२३५	२३५	२३५
५.१२	75mm thick panel	sq.ft	२५२	२५२	२५२
६.००	Readymade RCC door, window and arc frames				
६.०१	Readymade RCC door and window frame of section 4"*2.75" with concrete mix design of 1:1:1 proportion and 2 Nos of 7 mm diameter rebar including arrangement of necessary holes and safety plates all complete	र.फि.	२३६	२३६	२३६
६.०२	Readymade RCCventilation frame of section 4"*2.75" with concrete mix design of 1:1:1 proportion and 2 Nos of 7 mm diameter rebar including arrangement of necessary holes and safety plates all complete	र.फि.	२३६	२३६	२३६
६.०३	Readymade RCC door and window Arc frame(semi circular) of section 4"*2.75" with concrete mix design of 1:1:1 proportion and 2 Nos of 7 mm diameter rebar including arrangement of necessary holes and safety plates all complete	र.फि.	४७५	४७५	४७५
७.००	Ceiling works				
७.०१	Providing and fixing of PVC ceiling/wall with 8 mm thick panels including all necessary support fixtures	sq.ft	२२५	२२५	२२५
७.०२	Providing and fixing of Gypsum board including all necessary support fixtures	sq.ft	१३५	१३५	१३५
८.००	Roofing works				
८.१०	Corrugated/Plain Fiber Glalss Sheet				
	0.8 mm thick plain	प्रति व.फि.	११५.००	११५	११५
	0.8mm thick corrugated	प्रति व.फि.	१२७.००	१२७	१२७

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
	1.2 mm thick plain	प्रति ब.फि.	१२७.००	१२७	१२७
	1.2 mm thick corrugated	प्रति ब.फि.	१४६.००	१४६	१४६
	2 mm thick plain	प्रति ब.फि.	२१६.००	२१६	२१६
	2 mm thick corrugated	प्रति ब.फि.	२५५.००	२५५	२५५
	3 mm thick plain	प्रति ब.फि.	२९३.००	२९३	२९३
	3 mm thick corrugated	प्रति ब.फि.	३८२.००	३८२	३८२
९.००	Fiber Glalss Sheet छानाको लागि Aluminium strip (25x1.5)	र.मी.	६७.००	६७	६७
१०.००	Fiber Glalss Sheet छानाको लागि Rivet	गोटा	७.००	७	७
११.००	18 mm thick cement board	प्रति ब.फि.	१३५.००	१३५	१३५







ज) शिशा, प्लाइउड तथा ढोकाको रेडिमेड सटरहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	सीसा साधारण (आई.एस.आई.)				
१.०१	३ एम.एम.	प्रति व.फि	५५	५९	५९
१.०२	४ एम.एम.	प्रति व.फि	६५	७०	७०
१.०३	५ एम.एम.	प्रति व.फि	८७	९४	९४
२	प्लाईऊड कमर्सियल				
२.०१	३ एम.एम. मोटाई	प्रति व.फि	१८	१९	१९
२.०२	४ एम.एम. मोटाई	प्रति व.फि	२५	२७	२७
२.०३	६ एम.एम. मोटाई	प्रति व.फि	४०	४३	४३
२.०४	१० एम.एम. मोटाई वाटरपुफ (Shikhar or Equivalent)	प्रति व.फि	९०	९७	९७
२.०५	१२ एम.एम. मोटाई वाटरपुफ (Shikhar or Equivalent)	प्रति व.फि	१००	१०८	१०८
२.०६	१९ एम.एम. मोटाई साधारण (Shikhar or Equivalent)	प्रति व.फि	१२५	१३५	१३५
२.०७	१९ एम.एम. मोटाई वाटरपुफ (Shikhar or Equivalent)	प्रति व.फि	१४५	१५७	१५७
३	३० एम.एम. मोटाई तयारी प्लाईऊड डोर सटर				
३.०१	साधारण	प्रति व.फि	२२०	२३८	२३८
३.०२	दुई साईड सादा वाटर पुफ (Shikhar or Equivalent)	प्रति व.फि	२५५	२७५	२७५
३.०३	एक साईड टिक/अर्को साईड सादा वाटर पुफ (Shikhar or Equivalent)	प्रति व.फि	३०५	३२९	३२९
३.०४	दुई साईड टिक (Shikhar or Equivalent)	प्रति व.फि	३४५	३७३	३७३
४	टिक प्लाई				
४.०१	४ एम.एम.	प्रति व.फि	३७	४०	४०
४.०२	६ एम.एम.	प्रति व.फि	६८	७३	७३
४.०३	९ एम.एम.	प्रति व.फि	१०७	११६	११६
४.०४	१२ एम.एम.	प्रति व.फि	१२१	१३१	१३१

Handwritten signatures and notes are present below the table, including a large signature on the left, a signature in the center, and a signature on the right with the date 11/10/10.

भक) किचन तथा बाथरुमका सामाग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७/०७८ को दररेट	आ.व. ०७८/०७९ को दररेट	आ.व. ०७९/०८० को दररेट
१	प्यान कमोड र सिस्टर्न				
१.०१	प्यान पोर्सीलिन ग्लेज्ड १६"x२२" साधारण	प्रति सेट	७५०	८१०	८१०
१.०२	प्यान पोर्सीलिन ग्लेज्ड १६"x२२" (पेरि, हिन्द वा सो सरह)	प्रति सेट	२०००	२१६०	२१६०
१.०३	कमोड ग्लेज्ड साधारण (कभर सहीत)	प्रति सेट	८५००	९१८०	९१८०
१.०४	कमोड ग्लेज्ड (कभर सहीत) (पेरि, हिन्द वा सो सरह)	प्रति गोटा	१३५००	१४५८०	१४५८०
१.०५	सिस्टर्न कम्प्लीट सेट (पि.भि.सी.) सिंगल फलस	प्रति गोटा	१५००	१६२०	१६२०
१.०६	सिस्टर्न कम्प्लीट सेट (पि.भि.सी.) डबल फलस	प्रति गोटा	२०००	२१६०	२१६०
२	युरीनल ग्लेज्ड				
२.०१	पुरुष ९" Flat Back	प्रति गोटा	१२००	१२९६	१२९६
२.०२	पुरुष Nano	प्रति गोटा	१५००	१६२०	१६२०
२.०३	पोरसिलिन ग्लेज्ड युरिनल पार्टिशन	प्रति गोटा	१५००	१६२०	१६२०
२.०४	महिला ९"	प्रति गोटा	१३००	१४०४	१४०४
३	वास बेसीन				०
३.०१	१२"x१८" ग्लेज्ड	प्रति गोटा	१०००	१०८०	१०८०
३.०२	१६"x२२" ग्लेज्ड	प्रति गोटा	१३००	१४०४	१४०४
३.०३	Wash basin pedestal	प्रति सेट	१५००	१६२०	१६२०
४	किचन सिंक				
४.०१	स्टील (१६"x१८")	प्रति गोटा	१६००	१७२८	१७२८
४.०२	स्टील (२४"x१८")	प्रति गोटा	२०००	२१६०	२१६०
४.०३	स्टील (३७"x१८")	प्रति गोटा	२७००	२९१६	२९१६
५	टायल				
५.०१	फ्लोर टायल (भारतिय)	प्रति ब.फि.	७५	८१	८१
५.०२	फेन्सी टायल डिजिटल (भारतिय)	प्रति ब.फि.	९५	१०३	१०३
५.०३	साधारण बाल टायल (भारतिय)	प्रति ब.फि.	५१	५५	५५
५.०४	Verified फ्लोर टायल (भारतिय)	प्रति ब.फि.	१११	१२०	१२०
६	मार्बल				
६.०१	मार्बल साधारण (१३ देखी १५ मीमी मोटाई)	प्रति ब.फि.	१६८	१८१	१८१
६.०२	मार्बल ग्रेनाईट राजस्थानी (२५ मीमी मोटाई)	प्रति ब.फि.	३१५	३४०	३४०
६.०३	मार्बल ग्रेनाईट बैंगलोर (२५ मीमी मोटाई)	प्रति ब.फि.	३९६	४२८	४२८
६.०४	मार्बल चिप्स	के.जी.	१७	१८	१८
६.०५	मार्बल पाउडर	के.जी.	१३	१४	१४
७	फेन्सी टावल रड				
७.०१	हेभी साईज (२ फिट)	प्रति गोटा	५५०	५९४	५९४
७.०२	साधारण (१.५ फिट)	प्रति गोटा	३२५	३५१	३५१
८	सोप केस साधारण	प्रति गोटा	२००	२१६	२१६
९	सावर टिल्टेड ३.५" डायमिटर	प्रति गोटा	७००	७५६	७५६
१०	फेन्सी ऐना १६"x२२"	प्रति गोटा	६५०	७०२	७०२
११	धारा तथा अन्य				
११.०१	राम्रो ब्रास (४०० ग्राम)	प्रति गोटा	६३०	६८०	६८०
११.०२	राम्रो ब्रास (२०० ग्राम)	प्रति गोटा	३०५	३२९	३२९
११.०३	Ordinary type C.P. Bibcock १५ mm dia.	प्रति गोटा	५८०	६२६	६२६
११.०४	Ordinary type C.P. angle valve १५ mm dia.	प्रति गोटा	५८०	६२६	६२६
११.०५	६० cm.C.P. Glass Shelf	प्रति गोटा	६३०	६८०	६८०

Signature

ज) रङ्ग रोगन सम्बन्धी सामाग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	रङ्गरोगन				
१.०१	चूना	प्रति के.जी.	२०	२२	२२
१.०२	सोसेम (सिमेन्ट पेन्ट)	प्रति के.जी.	५७	६२	६२
१.०३	गुद / फेविकोल	प्रति के.जी.	१४०	१५१	१५१
१.०४	चप्रा / चौरी	प्रति के.जी.	१२७५	१३७७	१३७७
१.०५	कोल्डार	प्रति के.जी.	७५	८१	८१
१.०६	पूटिन (Wall Putty)	प्रति के.जी.	४०	४३	४३
१.०७	टारपिन तेल	प्रति लि.	१३०	१४०	१४०
१.०८	ईनामेल	प्रति लि.	५०५	५४५	५४५
१.०९	प्राईमर	प्रति लि.	२९५	३१९	३१९
१.१०	प्लास्टिक ईमल्सन पेन्ट (मेडियम)	प्रति लि.	४४५	४८१	४८१
१.११	वासेवल डिस्टेम्पर	प्रति लि.	१७०	१८४	१८४
१.१२	Apex coat (water proofing paint)	प्रति लि.	५३०	५७२	५७२
१.१३	Plaster of Paris Paint	प्रति के.जी.	३२	३५	३५
१.१४	डि.बि. लिन्सेड आयल	प्रति लि.	९७	१०५	१०५
१.१५	वानेस	प्रति लि.	१९०	२०५	२०५
१.१६	सरेस	प्रति लि.	२३६	२५५	२५५
१.१७	आल्मूनियम पेन्ट	प्रति लि.	५७०	६१६	६१६
१.१८	रेड अक्साईड	प्रति लि.	३००	३२४	३२४
१.१९	वाटरपूफ कम्पाउण्ड	प्रति के.जी.	१००	१०८	१०८
१.२०	सेफक्रिट	प्रति लि.	२८०	३०२	३०२

Handwritten signatures and marks on the document, including a large signature on the left, a signature in the center, and a signature on the right. There are also some scribbles and a large 'X' mark.

ट) बिद्युत सम्बन्धी सामग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	आर.सी.सी. बिद्युत पोल				
१.०१	८ मिटर लामो	प्रति थान	७५२५	८१२७	८१२७
१.०२	९ मिटर लामो	प्रति थान	८३१०	८९७५	८९७५
१.०३	११ मिटर लामो	प्रति थान	१६४८०	१७७९८	१७७९८
२	Multistrand Flexible wire for house wiring (90 meter per coil) NS marked Equivalent				
	1.0 mm PVC insulated Copper wire		१०३०	१११२	११६८
	1.5 mm PVC insulated Copper wire		१६४८	१७८०	१८६९
	2.5 mm PVC insulated Copper wire		२४२१	२६१५	२७४६
	4.0 mm PVC insulated Copper wire		३९१४	४२२७	४४३८
	6.0 mm PVC insulated Copper wire		६१८०	६६७४	७००८
	10.0 mm PVC insulated Copper wire		१०३००	१११२४	११६८०
३	बिद्युत र बायरीङ्ग				
३.०१	बिद्युत बायरीङ्ग तार ३X२२ (एन.एस)	९० मी को रोल	१३२५	१४३१	१५०३
३.०२	बिद्युत बायरीङ्ग तार ३X२० (एन.एस)	९० मी को रोल	२०९५	२२६३	२३७६
३.०३	बिद्युत बायरीङ्ग तार ७X२२ (एन.एस)	९० मी को रोल	२९९०	३२२९	३३९०
३.०४	बिद्युत बायरीङ्ग तार ७X२० (एन.एस)	९० मी को रोल	४८६५	५२५४	५५१७
३.०५	बिद्युत अर्थिङ्ग तार १X१८ (एन.एस)	९० मी को रोल	११०५	११९३	१२५३
३.०६	सामान बाहेक कन्सीलड बायरीङ्ग गर्ने कार्यको ज्याला	प्रति प्वाइन्ट	६५	६८	७१
३.०७	सामान बाहेक सर्फेस बायरीङ्ग गर्ने कार्यको ज्याला	प्रति प्वाइन्ट	४७	४९	५१
३.०८	ASCR Conductor				
	0.03 square Inch	km	३४०१०	३६७३१	३८५६८
	0.05 square Inch	km	५६११०	६०५९९	६३६२९
	0.1 square Inch	km	१०५१०	११३५१	११९१९
३.०९	D-lton with shackel insulator	set	२०५	२२१	२३२
३.१०	Disc Insulator	set	१४१०	१५२३	१५९९
३.११	11 KV pin insulator with spandle	set	४५५	४९१	५१६
३.१२	9 KV Lightning Arrester	no.	१४१०	१५२३	१५९९
३.१३	11 KV DO Fuse Set	no.	४५१५	४८७६	५१२०
३.१४	MS Fabricated Channel	kg	१४०	१५१	१५९
३.१५	MS Nut Bolt different sizes(full/half thread)	kg	१९५	२११	२२२
३.१६	Earthing Rod (copper coated)	no.	२८२५	३०५१	३२०४
३.१७	Eartning wire (Different sizes)	kg	२०३५	२१९८	२३०८
३.१८	Stay set	set	१६४५	१७७७	१८६६
३.१९	Stay wire	kg	१४५	१५७	१६५
३.२०	Stay insulator -LT	no.	११०	११९	१२५
३.२१	Stay insulator -HT	no.	१४०	१५१	१५९
३.२२	11 KV Link Switch (3 pieces)	set	२९२०५	३१५४१	३३११८
३.२३	33 KV Link Switch (3 pieces)	set	४३९१५	४७४२८	४९७९९
३.२४	Super Enamelled Copper wire (Different sizes)	kg	१०७०	११५६	१२१४
३.२५	Paper Insulator(copper wire)	kg	११००	११८८	१२४७
३.२६	11/0.4 KV Distribution Transformer				


सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
	25 KVA	no.	२६९४००	२६९२४२	२८२७०४
	50 KVA	no.	३७३०००	३८४९९०	४०३४००
	100 KVA	no.	५९०९००	६०७८०३	६३८९९३
	200 KVA	no.	९०२३९००	९०५४६९७	९९०७३४८
	ELECTRICAL WORKS (Supply and fitting all complete)				
४	A) LUMINAIRES (FIXTURES)				
	Accessories, screws, grips, pvc tape, choke, starter, Tube, bulbs, holder, flexible wire etc all complete.				
४.०१	Dome light 8" with heavy carier Homedec or eqvt.	set	३७५	४०५	४०५
४.०२	1*40 watt Tube light mirror optic wipro / philips HPF or eqvt.	set	३७००	३९९६	३९९६
४.०३	1*40 watt Tube light box type wipro /philips HPF or eqvt.	set	९९०५	९९९३	९९९३
४.०४	2*40 watt mirror optic Tube light wipro / philips HPF or eqvt.	set	४५००	४८६०	४८६०
४.०५	Mirror light decorative philips or eqvt.	set	४००	४३२	४३२
४.०६	Indicator light for O.T.room red & green color etc all complete.	set	९५	९०३	९०३
४.०७	Electrical bell musical type of different sounds	set	२९५	२३२	२३२
५	B) FAN / EXHAUST FAN				
	Accessories nut,bolt,hook,clamp,regulator,flexible wire etc all complete.				
५.०१	42" ceiling fan USHA or eqvt.	set	२५२०	२७२२	२७२२
५.०२	9" exhaust fan Usha or eqvt.	set	२९००	२२६८	२२६८
५.०३	वाल फेन -अतिरिक्त फिटिङका सामान सहित	set			
	उषा, कस्टम गिभ्स वा सो सरह		३०००.००	३२४०	३२४०
६	C) SOCKET, SWITCH, JUNCTION BOX				
	Accessories: metal box, screw, grips, pvc tape, etc all complete				
६.०१	16/6 Amps combined S/ socket flush type	set	२३९	२४९	२४९
६.०२	1 gang 1,2 way switch philips or eqvt	set	९८५	२००	२००
६.०३	2 gang 1,2 way switch philips or eqvt	set	९९५	२९९	२९९
६.०४	3 gang 1,2 way switch philips or eqvt	set	४५०	४८६	४८६
६.०५	4 gang 1,2 way switch philips or eqvt	set	४८०	५९८	५९८
६.०६	5 gang 1,2 way switch philips or eqvt	set	६२५	६७५	६७५
६.०७	6 gang 1,2 way switch philips or eqvt	set	६५०	७०२	७०२
६.०८	1 gang one bell push Philips or eqvt.	set	२९५	२३२	२३२
६.०९	Junction box made of metal withcover size 6"4" etc all complete	set	९०५	९९३	९९३
७	D) PANEL BOARD / DB				
	Accessories: screws,grips,nut,bolt,cu bus bar,earth bus bar, neutral bus bar, fuse, porcelain base, cu strip for connection, cable shoe, phase bar, pvc tape etc all complete				

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
७.०१	panel board made of mild steel sheet double cover floor mount suitable color push type lock size 12" *36" *48" suitable for housing the following items all complete (space for 4 no MCCB)	set	२०७९०	२२४५३	२२४५३
७.०२	100A TP MCCB of standard company	no	४५००	४८६०	४८६०
७.०३	40-50A TP MCCB of standard company	no	३९००	४२१२	४२१२
७.०४	Ammeter 0-500A	no	५००	५४०	५४०
७.०५	volt meter 0-500 v	no	५००	५४०	५४०
७.०६	CT coil of suitable ratio for panel board	no	६३०	६८०	६८०
७.०७	Indicator lamp for fuse	no	१५०	१६२	१६२
७.०८	Selector switch	set	४५०	४८६	४८६
७.०९	Distribution board 8 way TPN made of mild steel sheet double cover locable of approved compny . Flush type etc all complete	set	३६७५	३९६९	३९६९
७.१०	6,16, 25 Amps TP MCCB of approved company for light and power circuit	no	२२५०	२४३०	२४३०
७.११	40-63 Amps TP MCCB of approved company for main	no	२७५०	२९७०	२९७०
७.१२	6,16,25 Amps TP MCB of approved company for main		१२१०	१३०७	१३०७
८	E) POINT WIRING				
	Accessories;HDPEpolythenepipe,screws,pvc, tape, grips, circular box etc all complete				
८.०१	2*3/20 pvc cu.wire for light and fan point 1/2" HDPE polythene pipe	point	३९५	४२७	४२७
८.०२	2*7/22+1*3/22 pvc cu.wire for power point in 3/4" in HDPE polythene pipe	point	६३०	६८०	६८०
८.०३	2*7/20+1*3/22 pvc cu. Wire with A / C socket in 3/4" in HDPE polythene pipe for A/C etc all complete	point	१७८५	१९२८	१९२८
८.०४	10mm sq.4 core unarmoured copper cable for DB in HDPE polythene pipe or through channel etc all complete	R.M.	३१५	३४०	३४०
८.०५	8 swg cu.wire in HDPE polythene pipe for earth continuity from panel board to DB etc all complete	R.M.	७०	७६	७६
९	F) TELECOM SYSTEM				
	Accessories;HDPE pipe screws,pvc tape grips etc all complete				
९.०१	2 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point	२७५	२९७	२९७
९.०२	5 pair telephone cable for main in (25mm) HDPE polythene pipe from junction box to telephone DB	meter	३१	३३	३३
९.०३	10 pair telephone cable for mainin (25mm) HDPE polythene pipe/ cable tray	meter	४२	४५	४५
९.०४	15 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point	६५	७०	७०
९.०५	20 pair telephone cable for telephone point in 1/2"(20mm) polythene pipe	point	८०	८६	८६
९.०६	Telephone socket North west or eqvt.	set	३५५	३८३	३८३
९.०७	Telephone junction box6"*8" made of mild steel sheet with connector fuse type etc all complete	set	१३०	१४०	१४०

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
९.०८	Main DB made of mild steel sheetwith connector fuse typeetc all complete	set	१६८०	१८१४	१८१४
९.०९	Matrix portion 308 EPABX systemexpandable 3 co line 8 single line extension, automatic STD,ISD lock call duration control external call forwardingor eqvt	set	३१६००	३४१२८	३४१२८
१०	G) EARTHING				
१०.०१	Earthing with cu.plate size 65cm*65cm*3.15mm with G.N.8 copper wire for earth continuity from panel board to earthing site etc all complete	unit	८०००	८६४०	८६४०







 २ →

Badman

 ५-

 गे. मा. प. प.

ठ) खानेपानी तथा सरसफाई सम्बन्धी सामाग्रीहरु

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	जि.आई.पाईप (एन.एस) (अन्य क्लासहरुमा कम्पनी रेटलाई मान्यता दिइने)				
१.०१	०.५ " डा. मिडियम	प्रति र.मी.	१६०	१७३	१९०
१.०२	०.७५ " डा. मिडियम	प्रति र.मी.	१८५	२००	२२०
१.०३	१ " डा. मिडियम	प्रति र.मी.	३००	३२४	३५६
१.०४	१.२५ " डा. मिडियम	प्रति र.मी.	३९५	४२७	४७०
१.०५	१.५ " डा. मिडियम	प्रति र.मी.	४५०	४८६	५३५
१.०६	२ " डा. मिडियम	प्रति र.मी.	६१५	६६४	७३०
१.०७	२.५ " डा. मिडियम	प्रति र.मी.	७८५	८४८	९३३
१.०८	३ " डा. मिडियम	प्रति र.मी.	९७०	१०४८	११५३
१.०९	४ " डा. मिडियम	प्रति र.मी.	१४४०	१५५५	१७११
१.१	५ " डा. मिडियम	प्रति र.मी.	१९९५	२१५५	२३७१
१.११	६ " डा. मिडियम	प्रति र.मी.	२४१५	२६०८	२८६९
१.१२	३ " डा. हेभी	प्रति र.मी.	१११५	१२०४	१३२४
१.१३	४ " डा. हेभी	प्रति र.मी.	१७२५	१८६३	२०४९
१.१४	५ " डा. हेभी	प्रति र.मी.	२२३५	२४१४	२६५५
१.१५	६ " डा. हेभी	प्रति र.मी.	२५३५	२७३८	३०१२
२	सि.पि.भि.सि. पाईप (ASTMD-2846)				
२.०१	०.५ " डा. SDR 11	प्रति र.मी.	२००	२१६	२१६
२.०२	०.७५ " डा. SDR 11	प्रति र.मी.	३००	३२४	३२४
२.०३	१ " डा. SDR 11	प्रति र.मी.	४३५	४७०	४७०
३	गेट भल्व (गन मेटल) आई.एस.आई./एन.एस.				
३.०१	०.५ " डायमिटर	प्रति गोटा	५२५	५६७	५६७
३.०२	०.७५ " डायमिटर	प्रति गोटा	६३०	६८०	६८०
३.०३	१ " डायमिटर	प्रति गोटा	९४५	१०२१	१०२१
३.०४	१.५ " डायमिटर	प्रति गोटा	१७८५	१९२८	१९२८
४	चापाकल हेड ४ नं.				
४.०१	साधारण नेपाली	प्रति गोटा	२०००	२१६०	२१६०
५	चापाकल हेड ६ नं.				
५.०१	युनिसेफ मोडेल	प्रति गोटा	७०३५	७५९८	७५९८
५.०२	२३ के.जी. हेड	प्रति गोटा	३६७५	३९६९	३९६९
५.०३	२१ के.जी. हेड	प्रति गोटा	३३६०	३६२९	३६२९
५.०४	साधारण १४ के.जी.	प्रति गोटा	२३१०	२४९५	२४९५
५	पानी तान्ने मेसीन (आई.एस.आई.)				
५.०१	०.५ हर्षपावर (सिंगल फेज) भारतीय	प्रति गोटा	५२१०	५६२७	५६२७
५.०२	१.० हर्षपावर (सिंगल फेज) भारतीय	प्रति गोटा	९०९०	९८१७	९८१७
५.०३	०.५ हर्षपावर (सिंगल फेज) चाईनीज	प्रति गोटा	२२६०	२४४१	२४४१
५.०४	१.० हर्षपावर (सिंगल फेज) चाईनीज	प्रति गोटा	३४१५	३६८८	३६८८
५.०५	१.५ हर्षपावर (सिंगल फेज) सबमर्सिबल चा	प्रति गोटा	११०००	११८८०	११८८०
५.०६	१.५ हर्षपावर (सिंगल फेज) सबमर्सिबल भा	प्रति गोटा	२७४४०	२९६३५	२९६३५
६	खानेपानी ट्यान्क				
६.०१	पोलिथिन पानी ट्यान्क साधारण	प्रति लिटर	९	१०	१०
६.०२	पोलिथिन पानी ट्यान्क एन.एस.	प्रति लिटर	१२	१३	१३
६.०३	स्टेनलेस स्टील पानी ट्यान्क ५०० लि.	प्रति लिटर	३०	३२	३२
७	HDPE पाईप				
७.०१	PE 100 HDPE पाईप	प्रति के.जी.			२६०

Sharma

ठ) खानेपानी तथा सरसफाई सम्बन्धी सामग्रीहरु

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
१	Tool box with locking set	Set	१९१०	१९१०	१९१०
२	Heating plate-6"	No.	२३५०	२३५०	२३५०
३	Heating plate-12"	No.	७२००	७२००	७२००
४	Teflon cover	No.	३७००	३७००	३७००
५	Thermochrome chalk Germany	No.	२०००	२०००	२०००
६	Thermochrome chalk india	No.	९५०	९५०	९५०
७	Blow torch	No.	१६९५	१६९५	१६९५
८	Pipe wrench 14'	No.	१४५२	१४५२	१४५२
९	Pipe wrench 18"	No.	१९७३	१९७३	१९७३
१०	Pipe wrench 24"	No.	२९८०	२९८०	२९८०
११	Pipe wrench 36"	No.	५६००	५६००	५६००
१२	Pipe wrench 48"	No.	६२००	६२००	६२००
१३	Chain wrench 150 mm	No.	२८००	२८००	२८००
१४	Chain wrench 200 mm	No.	३८००	३८००	३८००
१५	Hacksaw frame	No.	२६५	२६५	२६५
१६	Hacksaw blade both side	No.	२५	२५	२५
१७	Adjustable spanner 10"	No.	६५०	६५०	६५०
१८	Adjustable spanner 12"	No.	७५०	७५०	७५०
१९	Iron brush	No.	७०	७०	७०
२०	Auto dia set 1/2" to 2'	Set	१२०००	१२०००	१२०००
२१	Die teeth 1/2" to 2"	No.	४५००	४५००	४५००
२२	Electrical mechanical jack with heating plate and cutter (90-250)	No.	३०००००	३०००००	३०००००
२३	Oil can with oil	No.	५९५	५९५	५९५
२४	Measuring Tape 30 m	No.	१५००	१५००	१५००
२५	Measuring Tape 50 m	No.	२२००	२२००	२२००
२६	Halfround file hard	No.	७०४	७०४	७०४
२७	Smooth file	No.	८०३	८०३	८०३
२८	Pipe vice 2 No	No.	२७५०	२७५०	२७५०
२९	Pipe vice 3 No	No.	३५००	३५००	३५००
३०	Pipe vice 4 No	No.	५०००	५०००	५०००
३१	Diesel generator	No.			
३१.०१	5 KVA	No.	४४००००	४४००००	४४००००
३१.०२	25 KVA	No.	७२५०००	७२५०००	७२५०००
३१.०३	50 KVA	No.	९५००००	९५००००	९५००००
३१.०४	80 KVA	No.	१३८८०००	१३८८०००	१३८८०००
३१.०५	100 KVA	No.	१५९८०००	१५९८०००	१५९८०००
३८	Submersible pump motor KSB or equivalent brand	No.			
३८.०१	5 HP	No.	६००००	६००००	६००००
३८.०२	7.5 HP	No.	८००००	८००००	८००००
३८.०३	15 HP	No.	१५००००	१५००००	१५००००
३८.०४	20 HP	No.	२७००००	२७००००	२७००००
३८.०५	25 HP	No.	२५३०००	२५३०००	२५३०००
३९	Electrical Pannel board-20 to 25 HP	No.	७००००	७००००	७००००
४०	Submersible flat cable				

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
४०.०१	6mm2	Mtr.	३५०	३५०	३५०
४०.०२	10mm2	Mtr.	३५०	३५०	३५०
४१	14 mm thick surface plate of suitable hole and MS bend and its installation for 8"-10" Housing pipe	No.	२५०००	२५०००	२५०००
४२	Bentonine	ton	१८९७५	१८९७५	१८९७५
४३	Barite(Ton)	ton	२१८२५	२१८२५	२१८२५
४४	Drill bit(no)	no	७००००	७००००	७००००
४५	Oxygen gas (Cylinder)	cyl	४२५	४२५	४२५
४६	Acetelyne gas(Cylinder)	cyl	२९१५	२९१५	२९१५
४७	Bucket	no	५००	५००	५००
४८	Liner	m	७५०	७५०	७५०
४९	Pistion rod (No)	no	३०००	३०००	३०००
५०	Gland packing(set)	set	७९०	७९०	७९०
५१	Swivel packing(set)	set	७००	७००	७००
५२	V.packing(set)	set	१७५०	१७५०	१७५०
५३	Valve/steel ball (No)	no	२५००	२५००	२५००
५४	Valve seat (No)	no	१५००	१५००	१५००
५५	Valve packing(No)	no	५६२	५६२	५६२
५६	Machinery				
५६.०१	Rig Machine(Hrs)	Hrs	१७००	१७००	१७००
५६.०२	Elec. Generator (Hrs)	Hrs	१९२	१९२	१९२
५६.०३	Water truck (Hrs)	Hrs	६८०	६८०	६८०
५६.०४	Cargo truck(Hrs)	Hrs	१०३५	१०३५	१०३५
५६.०५	Pick up truck(Hrs)	Hrs	३१२	३१२	३१२
५६.०६	Water pump(Hrs)	Hrs	३२२	३२२	३२२
५६.०७	10" blind pipe (m)	m	२०००	२०००	२०००
५६.०८	6" blind Pipe (m)	m	१५००	१५००	१५००
५६.०९	6" slotted pipe (m)	m	१५००	१५००	१५००
५६.१०	10" Flange	no	८००	८००	८००
५६.११	2" Nipple	no	७०	७०	७०
५६.१२	10" Gasket	set	२५०	२५०	२५०
५६.१३	welded rod	Pkt	८००	८००	८००
५६.१४	Pea Gravel	Cum	७१०	७१०	७१०
५६.१५	Rod hex.me	kg	१२५	१२५	१२५
५६.१६	sodium hexa metaphos	Kg	४२५	४२५	४२५
५६.१७	Compressor	Hrs	९११	९११	९११
५६.१८	Gsaket	Pcs.	३१२	३१२	३१२
५६.१९	Gland packing	set	४१२	४१२	४१२
५६.२०	Submersible pump	Hrs	२५०	२५०	२५०
५६.२१	Water table indicator	Hrs	३७५	३७५	३७५
५६.२२	Power cell batteries	Pcs.	८०	८०	८०
५६.२३	Electric logging machine	Hrs	५००	५००	५००
५७	Installation of Valve chamber fittings				
५७.०१	4-5" dia sluice valve	Set	१०००	१०००	१०००
५७.०२	6-8" dia sluice valve	set	१५००	१५००	१५००



5/1/2021

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
५७.०३	8- above dia sluice valve	Set	२०००	२०००	२०००
	MS Clamp with nutbolt				
५८	315x40 mm dia	No	३१८०	३१८०	३१८०
५८.०१	315x50 mm dia	No	३२४३	३२४३	३२४३
५८.०२	315x63 mm dia	No	३३६०	३३६०	३३६०
५८.०३	315x75 mm dia	No	३६५३	३६५३	३६५३
५८.०४	315x90 mm dia	No	३९६५	३९६५	३९६५
५८.०५	315x110 mm dia	No	४१७२	४१७२	४१७२
५९	280x40 mm dia	No	२८८०	२८८०	२८८०
५९.०१	280x50 mm dia	No	२९४३	२९४३	२९४३
५९.०२	280x63 mm dia	No	३०६०	३०६०	३०६०
५९.०३	280x75 mm dia	No	३३५३	३३५३	३३५३
५९.०४	280x90 mm dia	No	३६६५	३६६५	३६६५
६०	250x40 mm dia	No	२६८०	२६८०	२६८०
६०.०१	250x50 mm dia	No	२७४३	२७४३	२७४३
६०.०२	250x63 mm dia	No	२८६०	२८६०	२८६०
६०.०३	250x75 mm dia	No	३१५३	३१५३	३१५३
६०.०४	250x90 mm dia	No	३४६५	३४६५	३४६५
६०.०५	250x110 mm dia	No	४१००	४१००	४१००
६१	225x40 mm dia	No	२३८०	२३८०	२३८०
६१.०१	225x50 mm dia	No	२४४३	२४४३	२४४३
६१.०२	225x63 mm dia	No	२५६०	२५६०	२५६०
६१.०३	225x75 mm dia	No	२८५३	२८५३	२८५३
६१.०४	225x90 mm dia	No	३१६५	३१६५	३१६५
६१.०५	225x110 mm dia	No	३८००	३८००	३८००
६२	200x40 mm dia	No	२१८०	२१८०	२१८०
६२.०१	200x50 mm dia	No	२२४३	२२४३	२२४३
६२.०२	200x63 mm dia	No	२३६०	२३६०	२३६०
६२.०३	200x75 mm dia	No	२६५३	२६५३	२६५३
६२.०४	200x90 mm dia	No	२९६५	२९६५	२९६५
६२.०५	200x110 mm dia	No	३५००	३५००	३५००
६३	180x40 mm dia	No	१९८०	१९८०	१९८०
६३.०१	180x50 mm dia	No	२०४३	२०४३	२०४३
६३.०२	180x63 mm dia	No	२१६०	२१६०	२१६०
६३.०३	180x75 mm dia	No	२४५३	२४५३	२४५३
६३.०४	180x90 mm dia	No	२७६५	२७६५	२७६५
६३.०५	180x110 mm dia	No	३४००	३४००	३४००
६४	160x40 mm dia	No	१७८०	१७८०	१७८०
६४.०१	160x50 mm dia	No	१८४३	१८४३	१८४३
६४.०२	160x63 mm dia	No	१९६०	१९६०	१९६०
६४.०३	160x75 mm dia	No	२२५३	२२५३	२२५३
६४.०४	160x90 mm dia	No	२५४३	२५४३	२५४३
६४.०५	160x110 mm dia	No	३२००	३२००	३२००
६५	140x40 mm dia	No	१५८०	१५८०	१५८०
६५.०१	140x50 mm dia	No	१६४३	१६४३	१६४३

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८०७९ को दररेट	आ.व. ०७९०८० को दररेट
६५.०२	140x63 mm dia	No	१७६०	१७६०	१७६०
६५.०३	140x75 mm dia	No	२०५३	२०५३	२०५३
६५.०४	140x90 mm dia	No	२३६५	२३६५	२३६५
६६	125x40 mm dia	No	१४८०	१४८०	१४८०
६४.००	125x50 mm dia	No	१५४३	१५४३	१५४३
६४.०१	125x63 mm dia	No	१६३०	१६३०	१६३०
६४.०२	125x75 mm dia	No	१९५३	१९५३	१९५३
६४.०३	125x90 mm dia	No	२२६५	२२६५	२२६५
६७	110x40 mm dia	No	१३८०	१३८०	१३८०
६७.०१	110x50 mm dia	No	१४४३	१४४३	१४४३
६७.०२	110x63 mm dia	No	१५५३	१५५३	१५५३
६७.०३	110x75 mm dia	No	१८५३	१८५३	१८५३
६८	90x40 mm dia	No	११८०	११८०	११८०
६८.०१	90x50 mm dia	No	१२४३	१२४३	१२४३
६८.०२	90x63 mm dia	No	१३६०	१३६०	१३६०
६८.०३	90x75 mm dia	No	१६५३	१६५३	१६५३
६९	75x40 mm dia	No	१०८०	१०८०	१०८०
६९.०१	75x50 mm dia	No	११४०	११४०	११४०
६९.०२	75x63 mm dia	No	१२६०	१२६०	१२६०
७०	63x40 mm dia	No		८८०	८८०
७०.०१	63x50 mm dia	No		१०४३	१०४३
७०.०३	Gasket	Mtr		३५२०	३५२०
७०.०४	CI Manhole cover 600 mm dia	No.		८०००	८०००
७०.०५	CI Valve Box cover	No.		२५००	२५००
७१	HDP/HDP Tee				
७१.०१	280x250x250	No.		४४५६.२५	४४५६.२५
७१.०२	225x225x250	No.		३५७३.४१	३५७३.४१
७१.०३	225x200x200	No.		३३३५.७५	३३३५.७५
७१.०४	160x160x160	No.		१४८०	१४८०
७१.०५	140x140x140	No.		१०५०	१०५०
७१.०६	125x125x125	No.		७८७	७८७
७१.०७	110x110x110	No.		५६०	५६०
७१.०८	90x90x90	No.		३५०	३५०
७१.०९	75x75x75	No.		२२०	२२०
७२.००	HDPE Reducer				
७२.०१	300x250	No.		१०६०	१०६०
७२.०२	250x200	No.		८५०	८५०
७२.०३	180x160	No.		७६०	७६०
७२.०४	160x140	No.		६७०	६७०
७२.०५	140x125	No.		४५०	४५०
७२.०६	125x110	No.		३५०	३५०
७२.०७	110x90	No.		३०३	३०३
७२.०८	90x75	No.		२०४	२०४
७२.०९	75x63	No.		१५०	१५०
७२.१०	63x50	No.		९७	९७

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७१०७८ को दररेट	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
७३.००	HDP Bends (Dia in mm)				
७३.०१	250	No.		१६८०	१६८०
७३.०२	225	No.		१५५०	१५५०
७३.०३	200	No.		१०६०	१०६०
७३.०४	160	No.		९९०	९९०
७३.०५	140	No.		७००	७००
७३.०६	125	No.		५५०	५५०
७३.०७	110	No.		३८५	३८५








SN	Items	Unit	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
			15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
၅၇	PIPE															
၅၇.၀၇	DI Pipe M/C	Mtr											7000	9000	11000	
၅၇.၀၃	MS Pipe M/C(7.0 mm thick)	Mtr											4020	4500	6000	7000
၅၇.၀၃	CI Pipe	Mtr											6500	7500		
၅၃	FITTINGS															
၅၃.၀၇	DI Sluice Valve	No.								15000	21000	25000	30000	56000	65000	75000
၅၃.၀၃	DI Cross Tee	No.											14000	22000	35000	
၅၃.၀၃	DI Tee(Double Socket with Flange Branch)	No.								13000	15000	17000	18000	20000	25000	30000
၅၃.၀၃	DI Reducer	No.								5295	6917	8730	9811	11800	14144	19792
၅၃.၀၃	DI Mechanical Coupling	No.											15000	18000	20000	
၅၃.၀၃	DI Bell Mouth	No.											7500	9000	12000	
၅၃.၀၃	DI Duck foot	No.											16500	19500	22500	
၅၃.၀၃	DI Puddlecolor 1 mtr long	No.											18000	20000	25000	
၅၃.၀၃	MS Clamp	No.					800	850	960	1200	1300	1500	1800	2300	2500	3000
၅၃.၇၇	DI Tail Pipe(400)	No.											4300	6000	8300	
၅၃.၇၇	DI Bend(Double Flange)	No.									11500	12500	13500	16000	18050	25000
၅၃.၇၃	DI Socket with Flange	No.											5500	7500	10000	
၅၃.၇၃	MS Flange Set OD	No.								2500	3200	5500	7500	9500	11000	
၅၃.၇၃	Bulk Water Meter	No.					18900	22500	28500	36000	40200	48000	103000	150000		
၅၃	GI															
၅၃.၀၇	GI Elbow	No.	60	90	156	257	364	548	952	1480	2550	5742	6910			
၅၃.၀၃	GI Tee	No.	91	144	210	350	483	790	1180	1602	2200	2860	3500			
၅၃.၀၃	GI Union	No.	176	244	315	350	470	580	830	1370	3500	3750	4500			
၅၃.၀၃	GI Socket	No.	53	83	111	180	243	360	653	965	1672	3799	5107			
၅၃.၀၃	GI R Socket	No.		60	123	192	257	384	687	980	1765	4768	5606			
၅၃.၀၃	GI R Tee	No.		158	228	324	532	870	1370	1852	3387	8473	9810			
၅၃.၀၃	GI Cross Tee	No.	149	213	334	580	763	1128	1903	2758	3723	3850	4850			
၅၃.၀၃	GI Nipple 4"	No.	50	64	98	122	140	204	260	328	487	2295	3630			
၅၃.၀၃	GI Nipple 6"	No.	82	105	160	201	230	235	430	540	840	1250	1550			
၅၃.၇၀	GI Bend	No.	136	213	326	630	954	1400	3600	5592	7910	8970	9000	13000	15000	21000

SN	Items	Unit	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
			15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
अ	PIPE															
अ.०१	DI Pipe M/C	Mtr											7000	9000	11000	
अ.०२	MS Pipe M/C(7.0 mm thick)	Mtr											4020	4500	6000	7000
अ.०३	CI Pipe	Mtr											6500	7500		
अ२	FITTINGS															
अ२.०१	DI Sluice Valve	No.								15000	21000	25000	30000	56000	65000	75000
अ२.०२	DI Cross Tee	No.											14000	22000	35000	
अ२.०३	DI Tee(Double Socket with Flange Branch)	No.								13000	15000	17000	18000	20000	25000	30000
अ२.०४	DI Reducer	No.								5295	6917	8730	9811	11800	14144	19792
अ२.०५	DI Mechanical Coupling	No.											15000	18000	20000	
अ२.०६	DI Bell Mouth	No.											7500	9000	12000	
अ२.०७	DI Duck foot	No.											16500	19500	22500	
अ२.०८	DI Puddlecolor 1 mtr long	No.											18000	20000	25000	
अ२.०९	MS Clamp	No.					800	850	960	1200	1300	1500	1800	2300	2500	3000
अ२.१	DI Tail Pipe(400)	No.											4300	6000	8300	
अ२.११	DI Bend(Double Flange)	No.									11500	12500	13500	16000	18050	25000
अ२.१२	DI Socket with Flange	No.											5500	7500	10000	
अ२.१३	MS Flange Set OD	No.								2500	3200	5500	7500	9500	11000	
अ२.१४	Bulk Water Meter	No.					18900	22500	28500	36000	40200	48000	103000	150000		
अ३	GI															
अ३.०१	GI Elbow	No.	60	90	156	257	364	548	952	1480	2550	5742	6910			
अ३.०२	GI Tee	No.	91	144	210	350	483	790	1180	1602	2200	2860	3500			
अ३.०३	GI Union	No.	176	244	315	350	470	580	830	1370	3500	3750	4500			
अ३.०४	GI Socket	No.	53	83	111	180	243	360	653	965	1672	3799	5107			
अ३.०५	GI R Socket	No.		60	123	192	257	384	687	980	1765	4768	5606			
अ३.०६	GI R Tee	No.		158	228	324	532	870	1370	1852	3387	8473	9810			
अ३.०७	GI Cross Tee	No.	149	213	334	580	763	1128	1903	2758	3723	3850	4850			
अ३.०८	GI Nipple 4"	No.	50	64	98	122	140	204	260	328	487	2295	3630			
अ३.०९	GI Nipple 6"	No.	82	105	160	201	230	235	430	540	840	1250	1550			
अ३.१०	GI Bend	No.	136	213	326	630	954	1400	3600	5592	7910	8970	9000	13000	15000	21000

ठ) खानेपानी तथा सरसफाई सम्बन्धी सामग्रीहरु को दररेट (आ.व. ०७९/८०)

SN	Items	Unit	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
			15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
७३.११	CI Plug	No.	29	43	52	98	121	145	213	436	847					
७३.१२	End cap	No.	79	144	179	292	402	589	920	1240	2515	3540	4230			
७३.१३	Brass Union	No.	320	510	750	1015	1550	1750	3350	4550	5650					
७३.१४	Gate Valve	No.	400	450	500	700	1050	5090	9996	14000	20000					
७३.१५	Globe valve	No.	663	1060	1600	3103	3900	5600	11300	15400	22200					
७३.१६	GI/GI Flange set	Set	495	621	844	1044	1260	1474	1897	2187	2982	7415	7972			
७३.१७	GI/HDPE Flange set	Set					1317	1500	1700	1925	2375	3500	4025	4690		
७३.१८	HDP/HDP Flange set	Set	619	814	967	1172	1464	2239	2539	2864	3693	7861	9390			
७३.१९	Flow regulating valve	No.	957													
७३.२०	Regulating Key	No.	295													
७३.२१	Brass tap (450 gm)	No.	516													
७३.२२	Water meter heavy quality		2000													
७३.२३	Float valve	No.	450	754	1087	1537	3925	5240								
७३.२४	Check valve	No.	400	629	1378	2327	3490	5236	9114	12545	16270					
७३.२५	Ferrule Cock	No.	740	1550	2140											
७३.२६	Brss bib Cock	No.	469													
७३.२७	GI Saddle	No.				398	425	536	900	1250	1350					
७३.२८	GI Strainer	No.	92	145	305	415	510	630	740	850	900	1243	1474	2478	3000	
७३.२९	CI Sluice Valve	No.					6000	8000	10000	12000	18000	20000	27000	39000	50000	65000
७३.३०	CI Air valve	No.	3570	4890	5730	7717	9895	13312	14587	21840	26520					
७३.३१	CI Reducer	No.								4500	6500	7500	8500	9500	12000	17000
७३.३२	CI Tail peace single flange	No.								1701	1984	2693	3260	5528	7512	9638
७३.३३	CI Mechanical coupling	No.								1600	2000	2750	3200	4500	7500	9515
७३.३४	CI Bend 90 degree	No.								1926	2410	3364	4361	6985	10587	14284
७३.३५	CI double Socket	No.								1788	2201	2751	3576	5089	8295	10867
७३.३६	CI Non return valve	No.						3160	3800	4560	19500	25000	29000	31000	36300	45500
७३.३७	CI Flanged bell mouth	No.								2625	3250	4901	5607	6305	9807	11900
७३.३८	CI Flanged Tee	No.								2871	3555	4922	6427	10118	14904	20647
७३.३९	MS Slotted Pipe	Mtr												7450		
७३.४०	Jhanson radial screen	Mtr												25000		



ठ) खानेपानी तथा सरसफाई सम्बन्धी सामग्रीहरु को दररेट (आ.व. ०७९/८०)

UPVC Pipes as per NS Rate per meter (with out VAT)						PVC Screen pipe and Accessories :	
OD in mm	Size in Inch	2.5kg f/cm ²	4 kgf/cm ²	6 kgf/cm ²	10 kgf/cm ²	Descriptions	Rate per Mtr.
७६	1 1/2"	-	-	-	36	-	-
७९	3/4"	-	-	-	57	-	-
32	1"	-	-	-	93	-	-
40	1 1/4"	-	-	94	141	-	-
50	1 1/2"	-	-	142	221	-	-
63	2"	-	159	226	351	-	-
75	2 1/2"	-	220	317	502	screen	427
90	3"	201	313	457	715	screen	537
110	4"	298	430	660	1060	trap	265
125	4 1/2"	380	593	880	1358	48mm m/f adapter	160
140	5"	469	753	1095	1712	st.coupler	160
160	6"	613	975	1403	2204	screen	538
180	7"	785	1253	1788	2809	ribbed screen	1448
200	8"	958	1519	2191	3473	6" pvc casing pipe	2158

ठ) खानेपानी तथा सरसफाई सम्बन्धी सामग्रीहरु को दररेट (आ.व. ०७९/८०)

BS standard PVC Pipes Rate per meter (with out VAT)				
OD in mm	Size in Inch	Type C	Type D	Type E
48	1 1/2"	-	171	210
90	3"	431	-	-
114	4"	719	925	-

Handwritten signatures and stamps are present at the bottom of the page, including a large circular stamp and several handwritten notes.

ड) वन तथा भू-संरक्षण संबन्धी

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७/०७८ को दररेट	आ.व. ०७८/०७९ को दररेट	आ.व. ०७९/०८० को दररेट
१	नर्सरीको लागी मलिलो माटो (संकलन लोड ढुवानी समेत गराई नर्सरी क्षेत्रमा खरिद गर्ने)				
१.०१	बुटवल र बनको ७ कि.मी. भित्र	प्रति घ.फि.	२०	२०	२०
१.०२	सि.न.पा. र अन्य क्षेत्रमा	प्रति घ.फि.	२५	२५	२५
१.०३	खरनापो (१६ मूठा)	प्रति सोरही	४००	४१२	४१२
१.०४	पोलीथिन थैलो (२०० गेज)	प्रति के.जी.	३००	३०९	३०९
	क) स्टम्प कटिङ				०
१.०५	१) टिक	प्रति गोटा	१०	१०	१०
१.०६	२) अन्य जात	प्रति गोटा	७	७	७
१.०७	पोलीथिन थैलोमा				
१.०८	१) सिरिस, वकाइनो, कपास, मसला, सिमल, वबूर, कागियो, इपिल,टांकी, कोइरालो आदि (पोलीथिन थैलोमा)	प्रति गोटा	१२	१२	१२
१.०९	२) टिक (३x७) साईज	प्रति गोटा	१५	१५	१५
१.१०	३) टिक (३x७) साईज (एक वर्ष भन्दा बढी उमेरको)	प्रति गोटा	२०	२०	२०
१.११	४) सबै जातको एक वर्ष भन्दा बढी उमेरको विरुवा (१०x१२ साईज)	प्रति गोटा	१६०	१६०	१६०
१.१२	वासको कलामी विरुवा	प्रति गोटा	१५०	१५५	१५५
१.१३	वासको विरुवा (राइजम सहित)	प्रति गोटा	२२०	२२०	२२०
	वासको विजु विरुवा				
१.१४	क)एक वर्षे	प्रति गोटा	२०	२१	२१
१.१५	ख)दुई वर्षे	प्रति गोटा	४०	४१	४१
१.१६	ग)तीन वर्षे	प्रति गोटा	६०	६२	६२
२	काठ दाउरा कटान मूछान ढुवानी				
२.०१	कटान मूछान	प्रति घ.फि.	८४	८७	८७
२.०२	लोड अनलोड	प्रति घ.फि.	२९	३०	३०
२.०३	बोक्रा हटाउने तथा पाइलिंग	प्रति घ.फि.	२१	२२	२२
	गोलिया काठ घाट गढी सम्म ढुवानी टैक्टरबाट				
२.०४	५ कि.मि.सम्म	प्रति घ.फि.	७	७	७
२.०५	५ देखि १० कि.मि.सम्म	प्रति घ.फि.	९	९	९
	दाउरा कटान मूछान,ढुवानी तथा चट्टा निर्माण				
२.०६	दाउरा काट्ने कार्य	प्रति चट्टा.	६३०५	६४९४	६४९४
२.०७	काटेको दाउरा २०० मीटर सम्म ढुवानी	प्रति चट्टा.	४२०५	४२०५	४२०५
२.०८	दाउरा ५ कि.मी सम्म ढुवानी टैक्टरबाट	प्रति चट्टा.	१३७५	१३७५	१३७५
२.०९	दाउरा ५ देखि १० कि.मी सम्म ढुवानी टैक्टरबाट	प्रति चट्टा.	१८२५	१८८०	१८८०
२.१०	दाउरा लोड अनलोड	प्रति चट्टा.	१६८५	१६८५	१६८५
२.११	चट्टा निर्माण	प्रति चट्टा.	१६८५	१६८५	१६८५
३.००	फलफुल र अन्य शौन्दर्यजनक विरुवा ढुवानी सहित				
३.०१	आप अमरपाली (२ वर्षे कलमी)	गोटा	२००	२००	२००
३.०२	आप अन्य (२ वर्षे कलमी)	गोटा	१५०	१५०	१५०
३.०३	कागती (२ वर्षे कलमी)	गोटा	११५	११५	११५
३.०४	अनार (२ वर्षे कलमी)	गोटा	११५	११५	११५
३.०५	मेवा (२ वर्षे)	गोटा	१००	१००	१००
३.०६	लिची (२ वर्षे कलमी)	गोटा	१०५	१०५	१०५
३.०७	अम्बा (२ वर्षे)	गोटा	१००	१००	१००
३.०८	कटहर (२ वर्षे)	गोटा	१००	१००	१००
३.०९	रुद्राक्ष (२ वर्षे)	गोटा	२००	२००	२००
३.१०	श्रीखण्ड (२ वर्षे)	गोटा	२५०	२५०	२५०

Handwritten signature and text on the right margin.

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७०७८ को दररेट	आ.व. ०७८०७९ को दररेट	आ.व. ०७९०८० को दररेट
३.९२	एभोकाडो (२ वर्षे)	गोटा	२००	२००	२००
४.००	विस्वा प्रजातिको अग्लो काठ हुने प्रजातिका विस्वाको मुल्य				
	४ फिट देखि ६ फिट				
४.०१	कपुर	गोटा	निशुल्कप्राप्त नभएकोमा जिल्ला वन कार्यालयको निर्धारित दररेट अनुसार	निशुल्कप्राप्त नभएकोमा जिल्ला वन कार्यालयको निर्धारित दररेट अनुसार	निशुल्कप्राप्त नभएकोमा जिल्ला वन कार्यालयको निर्धारित दररेट अनुसार
४.०२	रुद्राक्ष	गोटा			
४.०३	कल्की	गोटा			
४.०४	जाकारन्डा	गोटा			
४.०५	असारे	गोटा			
४.०६	शिरिस	गोटा			
४.०७	पैयू	गोटा			
४.०८	लप्सी	गोटा			
४.०९	धूपी	गोटा			
४.१०	वगनवेली	गोटा			
४.११	काईयो	गोटा			
४.१२	अमिसो	गोटा			
४.१३	तेजपात	गोटा			
४.१४	अमला	गोटा			
४.१५	हर्रो	गोटा			
४.१६	वर्रो	गोटा			
४.१७	वकाईनो	गोटा			
४.१८	करविर फूल	गोटा			
४.१९	इन्द्रकमल	गोटा			
	६ फिट देखि ८ फिटको परिपक्व				
४.२०	कपुर	गोटा			
४.२१	रुद्राक्ष	गोटा			
४.२२	कल्की	गोटा			
४.२३	जाकारन्डा	गोटा			
४.२४	असारे	गोटा			
४.२५	शिरिस	गोटा			
४.२६	पैयू	गोटा			
४.२७	लप्सी	गोटा			
४.२८	धूपी	गोटा			
४.२९	वगनवेली	गोटा			
४.३०	काईयो	गोटा			
४.३१	अमिसो	गोटा			
४.३२	तेजपात	गोटा			
४.३३	अमला	गोटा			
४.३४	हर्रो	गोटा			
४.३५	वर्रो	गोटा			
४.३६	वकाईनो	गोटा			
४.३७	करविर फूल	गोटा			
४.३८	इन्द्रकमल	गोटा			

ढ) हेभि इक्विपमेन्ट (ईन्धन बाहेक)

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७६।०७७ को दररेट	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
१	Grader (80 to 145 HP)	प्रति घण्टा	१६००	सडक विभागको दररेटलाई आधार मान्ने	सडक विभागको दररेटलाई आधार मान्ने	सडक विभागको दररेटलाई आधार मान्ने
२	Asphalt plant (up to 10 Ton)	प्रति घण्टा	४००			
३	Asphalt plant (40 Ton)	प्रति घण्टा	६८१०			
४	Asphalt paver	प्रति घण्टा	१४००			
५	Ashalt mixer (Bel Mix)	प्रति घण्टा	१०००			
६	Broom Road, Towed	प्रति घण्टा	२६०			
७	Air compressor (150 to 275 CFM)	प्रति घण्टा	२५०			
८	Dozer, wheel (150+ to 225 HP)	प्रति घण्टा	२१००			
९	Dozer, Track (120 to 125 HP)	प्रति घण्टा	२०००			
१०	Bitumin Distributor (4 to 6 Kl)	प्रति घण्टा	१३००			
११	Bitumin Heater (Up to 2 KL)	प्रति घण्टा	१४०			
१२	Excavator, Track (Up to 110 HP)	प्रति घण्टा	१२००			
१३	Excavator, Track (111 to 150 HP)	प्रति घण्टा	१८००			
१४	Loader wheel (1 to 1.75 CuM)	प्रति घण्टा	१०००			
१५	Loader wheel (1.8 to 2.3 CuM)	प्रति घण्टा	१२००			
१६	Loader wheel (2.2 to 2.5 CuM)	प्रति घण्टा	१५००			
१७	Backhoe Loader (UP to 85 HP)	प्रति घण्टा	१०००			
१८	Water pump (Up to 6" Dia.)	प्रति घण्टा	२००			
१९	Roller 3 wheel (Up to 12 ton)	प्रति घण्टा	५००			
२०	Roller Pneumatic (up to 20 to)	प्रति घण्टा	१२००			
२१	Roller Vib, Pedestrian (Up to 0.50 ton)	प्रति घण्टा	३००			
२२	Roller vib, Self propelled (3 ton)	प्रति घण्टा	५५०			
२३	Roller vib, Self propelled (3 ton +)	प्रति घण्टा	९००			
२४	Spreader chips , self propelled	प्रति घण्टा	१५००			
२५	Water Tanker (Up to 6 KL)	प्रति घण्टा	५५०			
२६	Compactor Hand Towed (350 to 450 KG)	प्रति घण्टा	१३०			
२७	Tractor	प्रति घण्टा	३००			
२८	Trailor	प्रति घण्टा	१४०			
२९	Truck / Tipper 8 Mt	प्रति घण्टा	६८०			
३०	Truck / Tipper 6 Mt	प्रति घण्टा	५२५			
३१	Truck / Tipper 5 Mt	प्रति घण्टा	४५०			
३२	Mlni Truck	प्रति घण्टा	३१५			
३३	Boring Rig (TONE)	प्रति घण्टा	१२००			
३४	Pile Driver 10 Ton	प्रति घण्टा	३०००			
३५	Vibrator (Needle)	प्रति घण्टा	१००			
३६	Vibrator (Engine)	प्रति घण्टा	१२०			

Handwritten signatures and marks at the bottom of the page, including a large circular stamp with the number 3 inside.

ण) Machine Made Pre Cast Bricks/Interlock Pavers/Slabs/Kerbstone

S.No	Description of Items	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	१६.८२	१६.८२
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	१८.६९	१८.६९
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	१५.०७	१५.०७
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	१६.०२	१६.०२
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	११२.८१	११२.८१
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	१३६.५६	१३६.५६
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	८९.०६	८९.०६
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	१०६.८८	१०६.८८
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	७७.१९	७७.१९
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	८९.०६	८९.०६
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	२९.३९	२९.३९
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	३५.६३	३५.६३
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	३८.३०	३८.३०
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	३४.४४	३४.४४
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	४०.६७	४०.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	४३.३४	४३.३४
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	४२.१६	४२.१६
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	४८.३९	४८.३९
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	५१.०६	५१.०६
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	५१.०६	५१.०६

ण) Machine Made Pre Cast Bricks/Interlock Pavers/Slabs/Kerbstone

S.No	Description of Items	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
9	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	५७.३०	५७.३०
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	५९.९७	५९.९७
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	२८.८०	२८.८०
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	३५.०३	३५.०३
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	३७.७०	३७.७०
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	६३.४३	६३.४३
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	७०.०४	७०.०४
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	७२.६८	७२.६८
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	३३.२५	३३.२५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	३९.४८	३९.४८
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 200*165*50 (NS Standard)	४२.९६	४२.९६
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	४८.६९	४८.६९
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	५४.९२	५४.९२
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*165*80 (NS Standard)	५७.३०	५७.३०
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	३४.४४	३४.४४
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	४०.६७	४०.६७
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 240*120*60 (NS Standard)	४३.३४	४३.३४
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	४८.३९	४८.३९
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	५४.९२	५४.९२
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	५७.५९	५७.५९
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100 (NS Standard)	७७.२५	७७.२५
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100 (NS Standard)	८५.३०	८५.३०
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100 (NS Standard)	८८.५२	८८.५२
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173*60 (NS Standard)	४३.९४	४३.९४
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173*60 (NS Standard)	५०.४७	५०.४७

ण) Machine Made Pre Cast Bricks/Interlock Pavers/Slabs/Kerbstone

S.No	Description of Items	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	५२.८४	५२.८४
18	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	५६.११	५६.११
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	६२.३४	६२.३४
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	६५.३१	६५.३१
19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	१३.०६	१३.०६
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	१५.४४	१५.४४
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	१७.८१	१७.८१
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	५२.८४	५२.८४
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	५८.७८	५८.७८
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	६१.४५	६१.४५
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	५६.११	५६.११
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	६२.३४	६२.३४
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	६५.०२	६५.०२
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१७४.५६	१७४.५६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	१९३.५६	१९३.५६
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	२१६.१३	२१६.१३
23	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color. Water absorption <6%)	१,०४७.३८	१,०४७.३८
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color. Water absorption <6%)	१,१६०.१९	१,१६०.१९
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color. Water absorption <6%)	१,३०९.८१	१,३०९.८१

ण) Machine Made Pre Cast Bricks/Interlock Pavers/Slabs/Kerbstone

S.No	Description of Items	आ.व. ०७८१०७९ को दररेट	आ.व. ०७९१०८० को दररेट
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	२,३७५.००	२,३७५.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	२,६१२.५०	२,६१२.५०
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	२,८५०.००	२,८५०.००
25	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 400x600x80mm (NS Standard)	३८२.३८	३८२.३८
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	२८५.००	२८५.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	२९६.४०	२९६.४०
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	३१९.२०	३१९.२०
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	२३९.४०	२३९.४०
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	२६२.२०	२६२.२०
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	२८५.००	२८५.००
28	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	२८५.००	२८५.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	२९६.४०	२९६.४०
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	३१९.२०	३१९.२०
29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	३२४.९०	३२४.९०
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	३५३.४०	३५३.४०
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	३७०.५०	३७०.५०
30	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	३६९.३७	३६९.३७

Handwritten signatures and marks are present below the table, including a large signature on the left, a circled '3' in the center, and several other signatures and initials on the right.

त) विविध

सि.नं.	निर्माण सामाग्रीको विवरण	एकाई	आ.व. ०७७।०७८ को दररेट	आ.व. ०७८।०७९ को दररेट	आ.व. ०७९।०८० को दररेट
१	सिमेन्टको खाली बोरा				
१.०१	सिमेन्ट खाली बोरा (प्लास्टीक)	प्रति गोटा	७.५	७.५	७.५
१.०२	सिमेन्ट नया बोरा (प्लास्टीक)	प्रति गोटा	१६.०	१६.०	१६.०
	अन्य				
१.०३	जै	प्रति के.जि.	१०५	१०५.०	१०५.०
१.०४	बर्सिम	प्रति के.जि.	३३६	३३६.०	३३६.०
१.०५	भेच	प्रति के.जि.	१८९	१८९.०	१८९.०
१.०६	टियोसेन्टी	प्रति के.जि.	१४७	१४७.०	१४७.०
१.०७	बाजरा	प्रति के.जि.	१२६	१२६.०	१२६.०
१.०८	सुडान	प्रति के.जि.	१४७	१४७.०	१४७.०
१.०९	स्टाइलो कुक	प्रति के.जि.	७३५	७३५.०	७३५.०
१.१०	स्टाइलो हमाटा	प्रति के.जि.	४२०	४२०.०	४२०.०
१.११	मुलाटो रुट स्लिप	प्रति के.जि.	२	२.१	२.१
१.१२	पासालम रुट स्लिप	प्रति के.जि.	२	२.१	२.१

- नोट :
- १) माथि उल्लेखित दरमा भ्याट समावेश गरिएको छैन ।
 - २) एक ट्रक भन्नाले १७५ घ.फि. क्षमताको निर्माण सामाग्री ओसारपसार गर्नेलाई जनाउँछ ।
 - ३) माथि उल्लेखित दरभाउ बाहेक अन्य निर्माण सामग्रीहरूको दरभाउको हकम प्रचलित कानूनका प्रक्रिया अनुसार वा प्रचलित बजार भाउ अनुसार वा छिमेकी जिल्लाको दररेटलाई आधार मान्न सकिनेछ ।
 - ४) डिजेल, पेट्रोल, मट्टीतेल, एल.पी. ग्यास लगायत अन्य इन्धनहरूको हकमा नेपाल आयल निगमले निर्धारण गरेको दररेट बमोजिम हुनेछ ।
 - ५) उल्लेखित दररेट प्रभावकारी कार्यान्वयनकालागि सम्बन्धित सबै पक्षहरूलाई अनुरोध गरिन्छ ।

(Handwritten signatures and stamps)

(Circular stamp with text: "नगरपालिका" and "सुदूरपश्चिम प्रदेश")

(Handwritten text: "सुदूरपश्चिम प्रदेश")

(Handwritten text: "नगरपालिका")

(Handwritten text: "सुदूरपश्चिम प्रदेश")

(Handwritten text: "नगरपालिका")